



**MAINTENANCE PROGRAM  
AND  
TRACK CHART**

**DEARBORN DIVISION**

**1993**





| LINE NAME                   | BETWEEN                       | M.P. TO M.P. | CODE    | STATE | PAGE    |
|-----------------------------|-------------------------------|--------------|---------|-------|---------|
| CHICAGO LINE                | BEREA & STATE LINE            | 194.3-355.3  | 50-3600 | OH    | 20-36   |
| CHICAGO LINE                | STATE LINE & ELKHART          | 355.3-420.0  | 50-3600 | IN    | 14-20   |
| CHICAGO LINE                | ELKHART & BUFFINGTON          | 420.0-501.0  | 50-3200 | IN    | 4-12    |
| CHICAGO LINE                | BUFFINGTON & STATELINE        | 501.0-508.3  | 50-3202 | IN    | 3-3     |
| CHICAGO LINE                | STATE LINE & CHICAGO          | 508.3-523.3  | 50-3202 | IL    | 1-3     |
| DETROIT LINE                | DETROIT & STATE LINE          | 2.7-49.4     | 50-5221 | MI    | 39-46   |
| DETROIT LINE                | STATE LINE & ALEXIS           | 49.4-50.1    | 50-5221 | OH    | 38-39   |
| DETROIT LINE                | ALEXIS & SWAN CREEK           | 50.1-57.7    | 50-3621 | OH    | 37-37   |
| FORT WAYNE LINE             | ADAMS & VALPARAISO            | 314.0-423.0  | 50-3102 | IN    | 67-78   |
| FORT WAYNE LINE             | VALPARAISO & BUFFINGTON       | 423.0-446.3  | 50-3202 | IN    | 64-66   |
| KANKAKEE LINE               | OSBORN & SCHNEIDER            | 6.3-32.9     | 50-8431 | IN    | 86-89   |
| MICHIGAN LINE               | DETROIT & TOWN LINE           | 1.0-7.6      | 50-5204 | MI    | 62-62   |
| MICHIGAN LINE               | TOWN LINE & KALAMAZOO         | 7.6-145.0    | 50-5304 | MI    | 47-61   |
| B O SECONDARY               | KALAMAZOO                     | 0.0-0.5      | 50-5341 | MI    | 182-182 |
| BERNICE R.T.                | DOLTON & CALUMET RIVER        | 293.4-294.9  | 50-3207 | IL    | 125-125 |
| C.K. & S. I.T.              | PARCHMENT & PAVILION          | 41.3-44.9    | 50-5344 | MI    | 185-185 |
| C.R. & I. BR.               | CHICAGO AREA                  | 0.0-5.3      | 50-3297 | IL    | 128-128 |
| CALUMET RIVER I.T.          | RIVER BRANCH JCT. & HEGEWISCH | 0.0-4.4      | 50-3235 | IL    | 136-136 |
| CALUMET WESTERN RY.         | CALUMET RIVER SEC. & CRAI&PAR | 0.0-3.4      | 50-3251 | IL    | 139-139 |
| CARROTHERS I.T.             | BEGINNING & LIME              | 67.0-70.0    | 50-3612 | OH    | 143-143 |
| CARROTHERS SEC.             | LIME & WALBRIDGE              | 70.0-80.5    | 50-3612 | OH    | 144-145 |
| CLINTON I.T.                | VULCAN & STATE LINE           | 299.3-308.0  | 50-3635 | OH    | 153-154 |
| CLINTON I.T.                | STATE LINE & END OF TRACK     | 308.0-309.8  | 50-3635 | MI    | 153-153 |
| COMSTOCK I.T.               | FULLER & COMSTOCK PARK        | 106.0-106.9  | 50-5338 | MI    | 155-155 |
| CROWN POINT I.T.            | SCHERERVILLE                  | 279.6-280.0  | 50-3107 | IN    | 127-127 |
| CROWN POINT I.T.            | SCHERERVILLE & HARTSDALE      | 280.0-281.7  | 50-3207 | IN    | 126-126 |
| DANVILLE SEC.               | SCHNEIDER & STATE LINE        | 32.9-100.5   | 50-8431 | IN    | 79-86   |
| DANVILLE SEC.               | STATE LINE & NORTH DANVILLE   | 100.5-108.2  | 50-8431 | IL    | 79-79   |
| DECATUR I.T.                | DECATUR                       | 95.8-97.2    | 50-6604 | IN    | 191-191 |
| DELTA SPUR I.T.             | DETROIT (TOLEDO BR. & END)    | 0.0-0.8      | 50-5250 | MI    | 169-169 |
| DETROIT BELT LINE EXT. I.T. | DETROIT, MI.                  | 0.0-1.9      | 50-5246 | MI    | 168-168 |
| DETROIT BELT LINE I.T.      | DETROIT, MI.                  | 0.0-0.2      | 50-5245 | MI    | 167-167 |
| DETROIT BELT LINE I.T.      | DETROIT, MI.                  | 1.1-2.2      | 50-5245 | MI    | 166-166 |
| E&W I.T.                    | ELKHART & TWINBRANCH          | 0.0-9.8      | 50-3234 | IN    | 135-135 |
| EAST BRADLEY I.T.           | KANKAKEE & MP 0.6             | 0.0-0.6      | 50-3124 | IL    | 121-121 |
| EASTERN R.T.                | TOLEDO (SA) & STONY RIDGE     | 4.0-8.5      | 50-3632 | OH    | 149-149 |
| EXPOSITION SPUR I.T.        | DETROIT (DETROIT LINE & END)  | 0.0-2.9      | 50-5251 | MI    | 170-170 |




| LINE NAME          | BETWEEN                          | M.P. TO M.P. | CODE    | STATE | PAGE    |
|--------------------|----------------------------------|--------------|---------|-------|---------|
| FOREMAN WYE I.T.   | DETROIT AT DELRAY                | 0.0- 1.2     | 50-5252 | MI    | 171-171 |
| FOURTH STREET I.T. | FT WAYNE                         | -1.7- 3.5    | 50-3136 | IN    | 120-120 |
| FT. WAYNE SEC.     | DECATUR & ADAMS                  | 70.4- 86.6   | 50-3135 | IN    | 118-119 |
| GALENA YARD TRACK  | OLIVE & GALENA                   | 85.6- 86.6   | 50-3612 | OH    | 145-145 |
| GR&I I.T.          | FT. WAYNE & WALLEN               | 93.3- 98.7   | 50-3138 | IN    | 122-122 |
| GR&I I.T.          | KENDALLVILLE                     | 119.0-120.1  | 50-3138 | IN    | 123-123 |
| GR&I I.T.          | STURGIS                          | 146.7-149.7  | 50-5338 | MI    | 181-181 |
| HAMMOND CONN TRK   | S.C. & S. BRANCH & IHB CONN.     | 0.0- 0.9     | 50-3254 | IL    | 141-141 |
| HARTSDALE I.T.     | GRIFFITH & STATE LINE            | 10.5- 15.6   | 50-3233 | IN    | 134-134 |
| HARTSDALE I.T.     | STATE LINE & MATTESON            | 15.6- 21.4   | 50-3233 | IL    | 133-134 |
| HASTINGS R. T.     | BOWEN & GRAND RAPIDS             | 88.1- 93.9   | 50-5340 | MI    | 180-180 |
| HIGHLAND PARK I.T. | DEARBORN & HIGHLAND PARK         | 0.0- 7.4     | 50-5257 | MI    | 173-173 |
| HUGHART R.T.       | GRAND RAPIDS                     | 100.6-102.3  | 50-5338 | MI    | 117-117 |
| JACKSON I.T.       | JACKSON & JACKSON JCT.           | 96.5- 97.4   | 50-5321 | MI    | 175-175 |
| JUNCTION YARD SEC. | SCHAEFER TOWER & "YO"            | 0.0- 4.1     | 50-5231 | MI    | 159-159 |
| KALAMAZOO BR.      | ELKHART YD. (BC) & E. OF ELKHART | 0.0- 1.9     | 50-3221 | IN    | 104-104 |
| KALAMAZOO BR.      | ELKHART & STATE LINE             | 1.9- 14.7    | 50-5321 | IN    | 105-106 |
| KALAMAZOO BR.      | STATE LINE & THREE RIVERS JCT.   | 14.7- 27.4   | 50-5321 | MI    | 106-107 |
| KALAMAZOO BR.      | THREE RIVERS JCT. & CP PARK      | 27.3- 33.0   | 50-5341 | MI    | 108-109 |
| KALAMAZOO I.T.     | GRAND RAPIDS                     | 94.0- 95.0   | 50-5341 | MI    | 183-183 |
| KALAMAZOO SEC.     | CP PARK & KALAMAZOO              | 33.0- 54.0   | 50-5341 | MI    | 109-111 |
| KALAMAZOO SEC.     | KALAMAZOO & BURTON               | 54.0-100.6   | 50-5338 | MI    | 112-117 |
| KANKAKEE SEC.      | SCHNEIDER & STATE LINE           | 78.8- 82.7   | 50-3123 | IN    | 101-102 |
| KANKAKEE SEC.      | STATE LINE & KANKAKEE            | 82.7-102.7   | 50-3123 | IL    | 98-101  |
| LANSING BR.        | LANSING                          | 36.9- 37.9   | 50-5337 | MI    | 179-179 |
| LANSING I.T.       | ALBION                           | 21.6- 23.4   | 50-5352 | MI    | 187-187 |
| LANSING I.T.       | CEDAR RIVER                      | 57.1- 58.9   | 50-5352 | MI    | 188-188 |
| LANSING I.T.       | NORTH LANSING                    | 60.4- 61.4   | 50-5352 | MI    | 189-189 |
| LANSING MFRS. BR.  | LANSING                          | 0.0- 5.1     | 50-5354 | MI    | 190-190 |
| LANSING SEC        | JACKSON & NORTH LANSING          | 0.0- 36.9    | 50-5337 | MI    | 176-179 |
| LINCOLN R.T.       | PENFORD & ECORSE                 | 129.4-136.4  | 50-5232 | MI    | 161-162 |
| LINCOLN SEC.       | CARLETON & PENFORD               | 116.4-129.4  | 50-5232 | MI    | 160-161 |
| LORAIN R.T.        | ELYRIA YD. & SO. LORAIN          | 0.0- 6.8     | 50-3631 | OH    | 148-148 |
| MARION BR.         | GOSHEN & YOST (CPS7)             | 55.4- 57.5   | 50-3643 | IN    | 156-156 |
| MARSH I.T.         | DETROIT, MI.                     | 0.0- 3.6     | 50-5254 | MI    | 172-172 |
| MEADOWS I.T.       | LANSING                          | 37.9- 38.8   | 50-5337 | MI    | 179-179 |
| MIAMI CUT BR.      | MAUMEE & STANLEY (SA)            | 1.2- 4.0     | 50-3632 | OH    | 149-149 |



| LINE NAME           | BETWEEN                               | M.P. TO M.P. | CODE    | STATE | PAGE    |
|---------------------|---------------------------------------|--------------|---------|-------|---------|
| MONROE I.T.         | MONROE (DETROIT LINE & END)           | 0.0- 2.1     | 50-5258 | MI    | 174-174 |
| MORONTS I.T.        | HENNEPIN & MORONTS                    | 184.5-186.0  | 50-3123 | IL    | 90- 90  |
| MUNSTER I.T.        | HARTSDALE & AIRLINE                   | 281.7-285.5  | 50-3207 | IN    | 126-126 |
| NILES I.T.          | MAIN LINE & SO. BEND                  | 0.0- 2.0     | 50-3252 | IN    | 140-140 |
| NIPSCO SEC.         | TEFFT & SCHNEIDER                     | 53.9- 78.8   | 50-3123 | IN    | 101-103 |
| NORTH YARD BR.      | DETROIT & NORTH YARD                  | 2.1- 9.6     | 50-5233 | MI    | 163-163 |
| NORTHERN I.T.       | JACKSON & VANDERCOOK LAKE             | 0.7- 4.2     | 50-5348 | MI    | 186-186 |
| NORTHERN I.T.       | BRYAN, OH.                            | 58.7- 59.9   | 50-8248 | OH    | 196-196 |
| OAKDALE CONNECTION  | CP 286 & CP OAK                       | 286.9-287.8  | 50-3630 | OH    | 147-147 |
| OLIVE I.T.          | WALBRIDGE & OLIVE                     | 80.5- 85.6   | 50-3612 | OH    | 145-145 |
| OLIVERS I.T.        | SOUTH BEND & OLIVERS                  | 0.5- 2.7     | 50-3223 | IN    | 129-129 |
| PLAINWELL I.T.      | PLAINWELL & OTSEGO                    | 65.9- 70.7   | 50-5341 | MI    | 184-184 |
| PLYMOUTH I.T.       | SO. BEND                              | 179.0-181.8  | 50-3224 | IN    | 130-130 |
| PORTER BR.          | PORTER & IVANHOE                      | 240.4-259.4  | 50-3232 | IN    | 131-132 |
| QUINCY SEC.         | WHITE PIGEON & STURGIS                | 406.8-421.3  | 50-3634 | MI    | 150-152 |
| R OF W NO. 3        | E. CHICAGO, ILL.                      | 0.4- 1.6     | 50-3255 | IN    | 142-142 |
| SC&S BR.            | COLEHOOR JCT. & BERNICE               | 0.0- 9.3     | 50-3246 | IL    | 138-138 |
| SC/S BR.            | AIRLINE & STATELINE ** (11.0-11.7) ** | 285.5-286.2  | 50-3207 | IN    | 126-126 |
| SC/S BR.            | STATELINE & BERNICE ** (9.3-11.0) **  | 286.2-288.5  | 50-3207 | IL    | 126-126 |
| SS&S CONN. TK.      | SOUTH BEND, IND. (S. S. & S. JCT.)    | 0.0- 2.6     | 50-3237 | IN    | 137-137 |
| STANLEY SEC.        | OAKDALE & STANLEY (SA)                | 1.8- 5.3     | 50-3644 | OH    | 157-157 |
| STERLING SEC.       | NORTH YARD AND STERLING YARD          | 9.6- 20.7    | 50-5233 | MI    | 163-165 |
| STREATOR R.T.       | MISS & IOWA                           | 149.3-150.6  | 50-3123 | IL    | 93- 94  |
| STREATOR SEC        | KANKAKEE & MISS                       | 102.7-149.3  | 50-3123 | IL    | 94- 98  |
| STREATOR SEC        | IOWA & HENNEPIN                       | 150.6-184.5  | 50-3123 | IL    | 90- 93  |
| TERMINAL EAST I.T.  | RIVER YARD                            | -0.9- 0.0    | 50-5999 | MI    | 194-194 |
| TERMINAL EAST I.T.  | MACK YARD & NO. YARD TOWER            | 0.0- 5.5     | 50-5999 | MI    | 193-193 |
| TERMINAL WEST I.T.  | NO. YARD TOWER & HIGHLAND PARK        | 5.5- 10.3    | 50-5999 | MI    | 192-193 |
| TERMINAL WEST I.T.  | HIGHLAND PARK & DETROIT               | 15.5- 17.5   | 50-5999 | MI    | 195-195 |
| TOLEDO BR.          | TOLEDO (SA) & LIME CITY               | 4.0- 8.8     | 50-3622 | OH    | 146-146 |
| UPJOHN SEC.         | GIBSON & AUSTIN LAKE                  | 0.0- 6.7     | 50-5338 | MI    | 158-158 |
| UTICA I.T.          | STERLING YD & RAYS                    | 20.7- 26.8   | 50-5233 | MI    | 165-165 |
| WESTERN AVENUE I.T. | 49TH ST. & CHICAGO                    | 305.6-314.1  | 50-3207 | IL    | 124-124 |










H.T. JOSEPH  
C.A.D.D.  
REV. 6/88

# STANLEY YARD

DEARBORN DIVISION  
WESTERN REGION

WALBRIDGE OHIO



ELKHART ,INDIANA

TO CP 421

EASTBOUND DEPARTURE YARD

TO  
SOUTH BEND

LOCAL YARD

CAR  
REPAIR  
SHOP

DIESEL  
FACILITY

RECEIVING YARD


HUMP

YARD  
OFFICE

OVERHEAD  
CROSSWALK


RETARDER  
TOWER

WESTBOUND DEPARTURE YARD



RETARDER  
SERVICE ROAD  
TRACK

CONRAIL




ELKHART YARD


H.T. JOSEPH  
7/89  
NOT TO SCALE








# GARY, INDIANA AND VICINITY RAILROADS & INDUSTRIES




OFFICE OF CHIEF ENGINEER, D.B.C.  
CONSOLIDATED RAIL CORPORATION

Rev. MAY, 1983  
PHILADELPHIA, PA.



A horizontal scale bar labeled "Scale in Miles" with markings at 0, 1, and 2.

JULY, 1982  
PHILADELPHIA, PA.



# DETROIT, MICHIGAN

AND VICINITY

## RAILROADS & INDUSTRIES

Scale in Miles





OFFICE OF CHIEF ENGINEER, D & C


SEPTEMBER, 1962


CONSOLIDATED RAIL CORPORATION

PHILADELPHIA, PA.










ELKHART, INDIANA  
AND VICINITY  
RAILROADS & INDUSTRIES







## COST CENTER LISTING FOR DEARBORN DIVISION

| <u>LINE NAME</u>  | <u>MILE<br/>POST<br/>FROM</u> | <u>MILE<br/>POST<br/>TO</u> | <u>TRACK</u> | <u>COST<br/>CENTER</u> | <u>LINE<br/>CODE</u> |
|-------------------|-------------------------------|-----------------------------|--------------|------------------------|----------------------|
| FOREMAN WYE       | .00                           | .48                         | 007          | 19468                  | 36-5252              |
| FULLERTON YARD    | 3.30                          | 3.30                        | YRD          | 19483                  | 36-5257              |
| HIGHLAND PARK IND | .00                           | 3.10                        | 007          | 19466                  | 36-5257              |
| HIGHLAND PARK IND | 3.10                          | 7.60                        | 007          | 19469                  | 36-5257              |
| LANSING SEC.      | 36.80                         | 37.80                       | 001          | 15033                  | 36-5337              |
| LANSING SEC.      | 36.80                         | 37.80                       | 002          | 15033                  | 36-5377              |

## ENDANGERED PLANT SPECIES ON DEARBORN DIVISION

| <u>LINE NAME</u> | <u>MILE<br/>POST<br/>FROM</u> | <u>MILE<br/>POST<br/>TO</u> | <u>LOCATION</u>      |
|------------------|-------------------------------|-----------------------------|----------------------|
| MICHIGAN LINE    | 32.46                         | 33.14                       | SOUTH SIDE OF TRACKS |
| MICHIGAN LINE    | 34.90                         | 35.65                       | BOTH SIDES OF TRACKS |
| MICHIGAN LINE    | 38.44                         | 39.44                       | BOTH SIDES OF TRACKS |
| MICHIGAN LINE    | 80.55                         | 80.75                       | SOUTH SIDE OF TRACKS |
| MICHIGAN LINE    | 88.30                         | 90.60                       | SOUTH SIDE OF TRACKS |
| MICHIGAN LINE    | 114.25                        | 115.25                      | NORTH SIDE OF TRACKS |
| MICHIGAN LINE    | 123.80                        | 124.40                      | NORTH SIDE OF TRACKS |





State "One Call" Numbers for Fiber Optics and Utility Notification

The following telephone numbers must be called before performing any work which might endanger fiber optic cables or utilities:

| <u>State</u>                | <u>In State</u>                              | <u>Out of State</u>                         | <u>Remarks</u>                                    |
|-----------------------------|----------------------------------------------|---------------------------------------------|---------------------------------------------------|
| Pennsylvania                | 800-242-1776                                 | 412-323-7100                                |                                                   |
| Ohio                        | 800-362-2764                                 | Same Number                                 |                                                   |
| Michigan                    | 800-482-7171                                 | 313-647-7344                                |                                                   |
| Indiana                     | 800-382-5544                                 | Same Number                                 |                                                   |
| Illinois                    | 800-892-0123<br>312-744-7000                 | 815-740-4500<br>Same Number                 | Except Chicago<br>In Chicago                      |
| New Jersey                  | 800-272-1000                                 | 201-232-1232                                |                                                   |
| Massachusetts               | 800-322-4844                                 | 617-229-2770                                |                                                   |
| New York                    | 800-258-8857<br>800-962-7962<br>800-245-2828 | 716-893-1133<br>315-437-7333<br>Same Number | Batavia & West<br>East of Batavia<br>Southwestern |
| Kentucky                    | 800-952-7007                                 | 502-897-3883                                |                                                   |
| Maryland, VA and Wash. D.C. | 800-257-7777                                 | Same Number                                 | Except Delmarva                                   |
| Delaware and all Delmarva   | 800-441-8355                                 | 800-441-8355                                |                                                   |
| W. Virginia                 | 800-245-4848                                 | 412-323-7100                                |                                                   |

In case of emergency (derailment, washout, etc.), unplanned work, or trouble with the "One Call" system, call the company involved directly:

| <u>Company</u>                          | <u>Number</u>               |
|-----------------------------------------|-----------------------------|
| AT&T                                    | 800-252-1133                |
| Litel                                   | 800-686-5308                |
| MCI                                     | 800-624-9675                |
| RCI (RochesterTel)                      | 800-624-8926                |
| Sprint                                  | 800-521-0579                |
| WTG (Williams Telecommunications Group) | 800-248-0133                |
| All other companies                     | Use State "One Call" number |

Instructions

"One Call" systems are agencies established in each state to notify utilities when individuals or contractors plan to do any digging that might affect communications, gas, electric, water, sewer, or other utilities. The person responsible for doing the digging is usually required by the law to notify the "One Call" system with two (2) business days notice of their intent to dig, although they will accept shorter notice during emergencies.

Fiber optic cable companies and other utilities prefer to receive notice of digging activities through the "One Call" system because it ensures that an appropriate official will be informed of the digging activity.

While state laws may not always apply to Conrail employees while on Conrail property, Conrail's license agreements with the fiber optical cable companies require Conrail to give appropriate notice when performing any activity that could endanger the fiber optic cables. Conrail has agreed to provide notice to those companies by first using the "One Call" system and by the company numbers, if necessary.

## CABLE PRINT

ESP621MR

| LINE NAME           | LINE RD CODE | FROM MILEPOST | TO MILEPOST | STATE | COMPANY | COMPANY PHONE-NUMBER | IN STATE PHONE-NUMBER | OUT STATE PHONE-NUMBER |
|---------------------|--------------|---------------|-------------|-------|---------|----------------------|-----------------------|------------------------|
| CHICAGO LINE        | 50 3600      | 194.30        | 355.30      | OH    | ATT     | 800-252-1133         | 800-362-2764          | 800-362-2764           |
| CHICAGO LINE        | 50 3600      | 194.30        | 355.30      | OH    | WTG     | 800-248-0133         | 800-362-2764          | 800-362-2764           |
| CHICAGO LINE        | 50 3600      | 355.30        | 420.00      | IN    | WTG     | 800-248-0133         | 800-382-5544          | 800-382-5544           |
| CHICAGO LINE        | 50 3600      | 355.30        | 420.00      | IN    | ATT     | 800-252-1133         | 800-382-5544          | 800-382-5544           |
| CHICAGO LINE        | 50 3200      | 420.00        | 501.00      | IN    | ATT     | 800-252-1133         | 800-382-5544          | 800-382-5544           |
| CHICAGO LINE        | 50 3200      | 420.00        | 501.00      | IN    | WTG     | 800-248-0133         | 800-382-5544          | 800-382-5544           |
| CHICAGO LINE        | 50 3200      | 421.93        | 422.19      | IN    | ATT     | 800-252-1133         | 800-362-2764          | 800-362-2764           |
| CHICAGO LINE        | 50 3200      | 435.81        | 437.19      | IN    | USS     | 800-521-0579         | 800-382-5544          | 800-382-5544           |
| CHICAGO LINE        | 50 3202      | 501.00        | 508.30      | IN    | ATT     | 800-252-1133         | 800-382-5544          | 800-382-5544           |
| CHICAGO LINE        | 50 3202      | 501.00        | 508.30      | IN    | WTG     | 800-248-0133         | 800-382-5544          | 800-382-5544           |
| CHICAGO LINE        | 50 3202      | 508.30        | 518.90      | IL    | ATT     | 800-252-1133         | 312-744-7000          | 312-744-7000           |
| CHICAGO LINE        | 50 3202      | 508.30        | 522.00      | IL    | WTG     | 800-248-0133         | 312-744-7000          | 312-744-7000           |
| CLINTON I.T.        | 50 3635      | 299.47        | 300.60      | OH    | TOL     | 800-362-2764         | 800-362-2764          | 800-362-2764           |
| DETROIT LINE        | 50 5221      | 2.90          | 49.40       | MI    | ATT     | 800-252-1133         | 800-482-7171          | 313-647-7344           |
| DETROIT LINE        | 50 5221      | 2.90          | 49.40       | MI    | WTG     | 800-248-0133         | 800-482-7171          | 313-647-7344           |
| DETROIT LINE        | 50 5221      | 49.40         | 50.10       | OH    | ATT     | 800-252-1133         | 800-362-2764          | 800-362-2764           |
| DETROIT LINE        | 50 5221      | 49.40         | 50.10       | OH    | WTG     | 800-248-0133         | 800-362-2764          | 800-362-2764           |
| DETROIT LINE        | 50 3621      | 50.10         | 57.70       | OH    | WTG     | 800-248-0133         | 800-362-2764          | 800-362-2764           |
| DETROIT LINE        | 50 3621      | 50.10         | 57.70       | OH    | ATT     | 800-252-1133         | 800-362-2764          | 800-362-2764           |
| FORT WAYNE LINE     | 50 3102      | 319.28        | 323.04      | IN    | LIN     | 800-382-5544         | 800-382-5544          | 800-382-5544           |
| FORT WAYNE LINE     | 50 3102      | 319.28        | 357.30      | IN    | ATT     | 800-252-1133         | 800-382-5544          | 800-382-5544           |
| GR&I I.T.           | 50 3138      | 97.00         | 97.20       | IN    | MAG     | 800-382-5544         | 800-382-5544          | 800-382-5544           |
| GRAND RAPIDS BR.    | 50 5340      | 88.00         | 88.10       | MI    | MS      | 800-482-7171         | 800-482-7171          | 313-647-7344           |
| HASTINGS R. T.      | 50 5340      | 88.10         | 93.70       | MI    | MS      | 800-482-7171         | 800-482-7171          | 313-647-7344           |
| HUGHART R.T.        | 50 5338      | 100.60        | 102.00      | MI    | USS     | 800-521-0579         | 800-482-7171          | 313-647-7344           |
| HUGHART R.T.        | 50 5338      | 100.60        | 102.00      | MI    | ATT     | 800-252-1133         | 800-482-7171          | 313-647-7344           |
| KALAMAZOO SEC.      | 50 5341      | 40.72         | 54.00       | MI    | ATT     | 800-252-1133         | 800-482-7171          | 313-647-7344           |
| KALAMAZOO SEC.      | 50 5341      | 40.72         | 54.00       | MI    | USS     | 800-521-0579         | 800-482-7171          | 313-647-7344           |
| KALAMAZOO SEC.      | 50 5341      | 49.54         | 51.93       | MI    | UPJ     | 800-482-7171         | 800-482-7171          | 313-647-7344           |
| KALAMAZOO SEC.      | 50 5341      | 52.64         | 53.62       | MI    | UPJ     | 800-482-7171         | 800-482-7171          | 313-647-7344           |
| KALAMAZOO SEC.      | 50 5338      | 54.00         | 100.60      | MI    | USS     | 800-521-0579         | 800-482-7171          | 313-647-7344           |
| KALAMAZOO SEC.      | 50 5338      | 54.00         | 100.60      | MI    | ATT     | 800-252-1133         | 800-482-7171          | 313-647-7344           |
| KALAMAZOO SEC.      | 50 5338      | 54.50         | 57.77       | MI    | ATT     | 800-252-1133         | 800-362-2764          | 800-362-2764           |
| LANRING BR.         | 50 5337      | 36.90         | 37.80       | MI    | ATT     | 800-252-1133         | 800-482-7171          | 313-647-7344           |
| LANRING BR.         | 50 5337      | 36.90         | 37.80       | MI    | USS     | 800-521-0579         | 800-482-7171          | 313-647-7344           |
| LANRING MFRS.RR.    | 50 5354      | 3.30          | 4.74        | MI    | EDS     | 800-482-7171         | 800-482-7171          | 313-647-7344           |
| LANRING SEC         | 50 5337      | 1.10          | 2.30        | MI    | MS      | 800-482-7171         | 800-482-7171          | 313-647-7344           |
| LANRING SEC         | 50 5337      | 35.80         | 36.90       | MI    | ATT     | 800-252-1133         | 800-482-7171          | 313-647-7344           |
| LANRING SEC         | 50 5337      | 35.80         | 36.90       | MI    | USS     | 800-521-0579         | 800-482-7171          | 313-647-7344           |
| MIAMI CUT BR.       | 50 3632      | 2.30          | 4.00        | OH    | ATT     | 800-252-1133         | 800-362-2764          | 800-362-2764           |
| MICHIGAN LINE       | 50 5204      | 1.00          | 1.70        | MI    | USS     | 800-521-0579         | 800-482-7171          | 313-647-7344           |
| MICHIGAN LINE       | 50 5204      | 1.00          | 2.90        | MI    | WTG     | 800-248-0133         | 800-482-7171          | 313-647-7344           |
| MICHIGAN LINE       | 50 5204      | 1.00          | 3.10        | MI    | WTG     | 800-248-0133         | 800-482-7171          | 313-647-7344           |
| MICHIGAN LINE       | 50 5204      | 1.20          | 3.10        | MI    | ATT     | 800-252-1133         | 800-362-2764          | 800-362-2764           |
| MICHIGAN LINE       | 50 5204      | 2.10          | 2.90        | MI    | ATT     | 800-252-1133         | 800-482-7171          | 313-647-7344           |
| MICHIGAN LINE       | 50 5204      | 3.00          | 7.60        | MI    | MS      | 800-482-7171         | 800-482-7171          | 313-647-7344           |
| MICHIGAN LINE       | 50 5304      | 7.60          | 8.50        | MI    | MS      | 800-482-7171         | 800-482-7171          | 313-647-7344           |
| MICHIGAN LINE       | 50 5304      | 7.60          | 28.00       | MI    | CR      | 8-520-5020           | 313-323-5020          | 313-323-5021           |
| MICHIGAN LINE       | 50 5304      | 143.19        | 143.45      | MI    | ATT     | 800-252-1133         | 800-362-2764          | 800-362-2764           |
| OLIVE I.T.          | 50 3612      | 82.70         | 85.07       | OH    | ATT     | 800-252-1133         | 800-362-2764          | 800-362-2764           |
| PORTER BR           | 50 3232      | 240.40        | 246.70      | IN    | ATT     | 800-252-1133         | 800-382-5544          | 800-382-5544           |
| QUINCY SEC.         | 50 3634      | 408.09        | 409.00      | MI    | CIK     | 616-965-9963         | 800-482-7171          | 313-647-7344           |
| TOLEDO BR.          | 50 3622      | 4.00          | 8.80        | OH    | ATT     | 800-252-1133         | 800-362-2764          | 800-362-2764           |
| UPJOHN SEC.         | 50 5338      | 0.00          | 3.70        | MI    | UPJ     | 800-482-7171         | 800-482-7171          | 313-647-7344           |
| WESTERN AVENUE I.T. | 50 3207      | 311.55        | 313.58      | IL    | ATT     | 800-252-1133         | 800-382-5544          | 800-382-5544           |

1/29/90

LIMITING CLEARANCE SUMMARY  
DEARBORN  
DIVISION

PAGE 1

| LINE CODE | LINE NAME              | MILE POST LIMITS | STRUCTURE  | LOCATION/ DESCRIPTION     | TRACK |
|-----------|------------------------|------------------|------------|---------------------------|-------|
| 3200      | CHICAGO LINE           | 421.6-501.0      |            | ALL STRS EXCEED CRIT.HT.  |       |
| 3202      | CHICAGO LINE           | 501.5-523.3      | SP 453.20  | M.P.508.60                | 001   |
| 5204      | DETROIT LINE           | 2.7- 49.4        | CAN        | STATION CANOPIES          | 005   |
| 5204      | DETROIT LINE           | 2.7- 49.4        | WIRE       | WIRE XING                 | 006   |
| 5204      | DETROIT LINE           | 2.7- 49.4        | WIRE       | WIRE XING                 | 007   |
| 5221      | DETROIT LINE           | 2.7- 50.1        |            | ALL STRS EXCEED CRIT.HT.  | 001   |
| 3102      | FT WAYNE LINE          | 314.0-358.6      |            | ALL STRS EXCEED CRIT.HT.  |       |
| 3202      | FT WAYNE LINE          | 358.6-423.0      |            | ALL STRS EXCEED CRIT.HT.  | ALL   |
| 3202      | FT WAYNE LINE          | 423.0-446.3      |            | ALL STRS EXCEED CRIT.HT.  | ALL   |
| 8431      | KANKAKEE LINE          | 6.3- 32.9        | OH 25.35   | I 90, I 80                | SWD   |
| 5204      | MICHIGAN LINE          | 1.4- 7.6         | OH 2.90    | CSXT                      | 001   |
| 5204      | MICHIGAN LINE          | 1.4- 7.6         | OH 2.90    | CSXT                      | 002   |
| 5304      | MICHIGAN LINE          | 7.6-140.0        | OH 37.61   | AA RR                     | 001   |
| 5304      | MICHIGAN LINE          | 7.6-140.0        | OH 37.61   | AA RR                     | 002   |
| 5304      | MICHIGAN LINE          | 7.6-140.0        | WIRE 79.07 | WIRE XING                 | 001   |
| 5304      | MICHIGAN LINE          | 7.6-140.0        | WIRE 79.07 | WIRE XING                 | 002   |
| 5304      | MICHIGAN LINE          | 140.0-145.0      |            | ALL STRS EXCEED CRIT.HT.  |       |
| 5341      | R&O SEC                | 0.0- 0.5         |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 3207      | PERNICE SEC            | 287.8-300.1      |            |                           | 007   |
| 3235      | CALUMET RIVER I.T.     | 0.0- 4.4         |            | NO OH STRUCTURES          | 007   |
| 3251      | CALUMET WESTERN RY     | 0.0- 3.4         | TT         | CALUMET RIVER THRU TRUSS  | 007   |
| 3612      | CAPROTHERS SEC         | 27.1- 80.5       |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 5338      | COMSTOCK I.T.          | 103.6-108.6      |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 3297      | CR&I BR                | 0.0- 5.3         | OH H3A     | BN RR(COMMUTER)           | 002   |
| 3297      | CR&I BR                | 0.0- 5.3         | OH H3A     | BN RR(COMMUTER)           | 003   |
| 8431      | DANVILLE SEC           | 32.9-108.2       | TT 58.48   | IRIQUOIS RIVER THRU TRUSS | 007   |
| 5249      | DD&D I.T.              | 0.0- 1.1         |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 5250      | DELTA SPUR             | 0.0- 0.8         |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 5245      | DETROIT BELT LINE I.T. | 0.0- 0.2         |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 5245      | DETROIT BELT LINE      | 1.1- 4.4         | OH 4.22    |                           | 007   |
| 5246      | DETROIT BELT LINE EXT  | 0.0- 1.9         |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 5999      | DETROIT TERMINAL RR    | 0.0- 19.2        |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 5247      | DETROIT TRANSIT CO     | 0.0- 1.3         |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 3124      | F&W I.T.               | 0.0- 13.5        |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 3124      | EAST BRADLEY I.T.      | 0.0- 1.5         |            | ALL STRS EXCEED CRIT.HT.  |       |
| 3236      | ENGLEWOOD CN LINE I.T. | 0.0- 2.3         |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 5251      | EXPOSITION SPUR        | 0.0- 2.9         |            | ALL STRS EXCEED CRIT.HT.  |       |
| 3207      | FIFTY NINTH ST YARD    | 302.3-305.6      | CH 305.54  | INBRR                     | 002   |
| 3135      | FT WAYNE SEC           | 70.4- 86.6       | TT 72.04   |                           | 007   |
| 3633      | GENOA I.T.             | 281.5-287.6      |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 3138      | GR&I I.T.              | 119.0-120.1      |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 3138      | GR&I SEC               | 93.3- 98.7       |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 5336      | GR&I SEC               | 146.7-150.1      |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 3233      | HARTSDALE SEC          | 10.5- 21.4       |            | ALL STRS EXCEED CRIT.HT.  |       |
| 5340      | HASTINGS R.T.          | 88.1- 94.5       |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 5257      | HIGHLAND PARK I.T.     | 0.0- 7.6         |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 5338      | HUGHART R.T.           | 100.6-102.3      |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 5321      | JACKSON I.T.           | 96.5- 97.4       |            | ALL STRS EXCEED CRIT.HT.  | 007   |
| 5231      | JUNCTION YARD SEC      | 0.0- 4.1         |            | ALL STRS EXCEED CRIT.HT.  | 007   |

1/29/90

LIMITING CLEARANCE SUMMARY  
DEARBORN  
DIVISION

PAGE 2

| LINE CODE | LINE NAME           | MILE POST LIMITS | STRUCTURE | LOCATION/ DESCRIPTION    | TRACK |
|-----------|---------------------|------------------|-----------|--------------------------|-------|
| 5321      | KALAMAZOO BR        | 1.9- 14.7        |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 5321      | KALAMAZOO BR        | 14.7- 27.4       |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 5341      | KALAMAZOO BR        | 27.3- 33.0       |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 5341      | KALAMAZOO I.T.      | 91.6- 95.0       | OH 91.46  |                          | 007   |
| 5341      | KALAMAZOO SEC       | 33.0- 54.0       |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 5338      | KALAMAZOO SEC       | 54.0-100.6       |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3132      | KANKAKEE I.T.       | 78.8- 82.7       |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3123      | KANKAKEE I.T.       | 82.7-103.5       |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 5354      | LANSING MFRS RR     | 0.0- 5.1         |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 5337      | LANSING SEC         | 0.2- 37.9        |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 5232      | LINCOLN SEC         | 116.4-136.4      |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3631      | LOPAIN R.T.         | 0.0- 6.8         |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3643      | MARION BR           | 55.4- 57.5       |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 5254      | MARSH TK            | 0.0- 3.6         |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 5337      | MEADOWS I.T.        | 37.9- 38.8       |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 5321      | MENDON SEC          | 27.4- 36.9       |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3632      | MIAMI CUT BR        | 1.2- 4.0         |           | NO OH STRUCTURES         | 007   |
| 5258      | MONROE I.T.         | 0.0- 2.1         |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3223      | NIPSCO SEC          | 0.5- 2.7         |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3123      | NIPSCO SEC          | 53.9- 78.8       |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 5233      | NORTH YARD BR       | 2.1- 9.6         |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3630      | OAKDALE CONN.TK     | 286.9-287.8      |           | NO OH STRUCTURES         | 007   |
| 3612      | OLIVE I.T.          | 80.5- 85.6       |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3224      | PLYMOUTH I.T.       | 179.0-182.3      |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3232      | PORTER BR           | 240.0-259.4      |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3634      | QUINCY SEC          | 377.7-421.3      |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3207      | SCRS BR             | 281.7-287.8      |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3246      | SC&S BR             | 0.0- 9.3         |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3642      | SHIPSHEWANA I.T.    | 0.0- 0.7         |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3644      | STANLEY SEC         | 1.8- 5.3         |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 5233      | STERLING SEC        | 9.6- 28.1        |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3123      | STREATOR SEC        | 103.5-186.0      |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3622      | TOLEDO BRANCH       | 4.0- 8.8         |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 5338      | UPJOHN SEC          | 0.0- 6.7         |           | ALL STRS EXCEED CRIT.HT. | 007   |
| 3207      | WESTERN AVENUE I.T. | 305.6-311.5      | OH 309.20 |                          | 007   |

1/29/90

C R I T I C A L   C L E A R A N C E   S U M M A R Y  
D E A R B O R N  
D I V I S I O N

PAGE 1

TRACK IS NOT TO BE RAISED UNDER THE FOLLOWING STRUCTURES WITHOUT FIRST  
NOTIFYING THE CLEARANCE DEPARTMENT IN PHILADELPHIA ON SMRT 333 5391.

| LINE<br>CODE | LINE NAME    | MILE POST<br>LIMITS | BETWEEN            | STRUCTURE | LOCATION/<br>DESCRIPTION  | TRACK |
|--------------|--------------|---------------------|--------------------|-----------|---------------------------|-------|
| 3600         | CHICAGO LINE | 194.3-421.6         | PEPEA-ELKHART      | OH 211.81 | NS TRANS                  | 001   |
| 3600         |              |                     |                    | OH 211.81 | NS TRANS                  | 002   |
| 3600         |              |                     |                    | OH 213.13 | JACKSON STREET            | 001   |
| 3600         |              |                     |                    | OH 213.13 | JACKSON STREET            | 002   |
| 3600         |              |                     |                    | OH 213.13 | JACKSON STREET            | NCS   |
| 3600         |              |                     |                    | OH 214.97 | QUARRY ROAD               | 001   |
| 3600         |              |                     |                    | OH 214.97 | QUARRY ROAD               | 002   |
| 3600         |              |                     |                    | OH 214.97 | QUARRY ROAD               | NCS   |
| 3600         |              |                     |                    | OH 219.03 | HIGH BRIDGE ROAD          | 002   |
| 3600         |              |                     |                    | OH 219.03 | HIGH BRIDGE ROAD          | NCS   |
| 3600         |              |                     |                    | TT 248.00 | SANDUSKY BAY              | 001   |
| 3600         |              |                     |                    | TT 248.00 | SANDUSKY BAY              | 002   |
| 3600         |              |                     |                    | TT 256.08 | PORTAGE RIVER             | 001   |
| 3600         |              |                     |                    | TT 256.08 | PORTAGE RIVER             | 002   |
| 3600         |              |                     |                    | OH 265.84 | NS TRANS                  | 001   |
| 3600         |              |                     |                    | OH 265.84 | NS TRANS                  | 002   |
| 3600         |              |                     |                    | OH 287.18 | FASSETT STREET            | 001   |
| 3600         |              |                     |                    | OH 287.18 | FASSETT STREET            | 002   |
| 3600         |              |                     |                    | OH 287.54 | OLIVE SEC                 | 001   |
| 3600         |              |                     |                    | OH 287.54 | OLIVE SEC                 | 002   |
| 3600         |              |                     |                    | TT 287.65 | MAUMEE RIVER              | 001   |
| 3600         |              |                     |                    | TT 287.65 | MAUMEE RIVER              | 002   |
| 3600         |              |                     |                    | FB 288.52 | FOOTBRIDGE                | 001   |
| 3600         |              |                     |                    | OH 289.03 | FIELD AVENUE              | 001   |
| 3600         |              |                     |                    | OH 289.03 | FIELD AVENUE              | 002   |
| 3600         |              |                     |                    | OH 289.08 | NS TRANS                  | 001   |
| 3600         |              |                     |                    | OH 289.08 | NS TRANS                  | 002   |
| 3600         |              |                     |                    | FB 290.21 | FOOTBRIDGE                | 001   |
| 3600         |              |                     |                    | FB 290.21 | FOOTBRIDGE                | 002   |
| 3600         |              |                     |                    | SB 291.80 | SIGNAL BRIDGE             | 001   |
| 3600         |              |                     |                    | OH 348.27 | CITY ROAD                 | 001   |
| 3600         |              |                     |                    | OH 373.29 | RTE 327                   | 001   |
| 3600         |              |                     |                    | OH 373.29 | RTE 327                   | 002   |
| 3600         |              |                     |                    | OH 383.75 | RTE 400                   | 001   |
| 3600         |              |                     |                    | OH 395.26 | COUNTY ROAD 750           | 001   |
| 3600         |              |                     |                    | OH 395.26 | COUNTY ROAD 750           | 002   |
| 3600         |              |                     |                    | OH 403.00 | NS TRANS                  | 001   |
| 3600         |              |                     |                    | OH 403.00 | NS TRANS                  | 002   |
| 3200         | CHICAGO LINE | 421.6-501.0         | ELKHART-CLARK JCT  |           | ALL STRS EXCEED CRIT.HT.  |       |
| 3202         | CHICAGO LINE | 501.5-523.3         | SUFFINGTON-CHICAGO | TT 448.48 | INDIANA HARBOR THRU TRUSS | 001   |
| 3202         |              |                     |                    | TT 448.48 | INDIANA HARBOR THRU TRUSS | 002   |
| 3202         |              |                     |                    | SB 453.20 | M.P.508.60                | 001   |
| 3202         |              |                     |                    | SB 453.20 | M.P.508.60                | 002   |
| 3202         |              |                     |                    | TT 454.70 | CALUMET RIVER THRU TRUSS  | 001   |
| 3202         |              |                     |                    | TT 454.70 | CALUMET RIVER THRU TRUSS  | 002   |
| 3202         |              |                     |                    | SB 456.60 | M.P.511.70                | 002   |
| 3202         |              |                     |                    | OH 461.02 | M.P.516.00 CTA RR         | 001   |

C R I T I C A L   C L E A R A N C E   S U M M A R Y  
D E A R B O R N  
D I V I S I O N

. TRACK IS NOT TO BE RAISED UNDER THE FOLLOWING STRUCTURES WITHOUT FIRST  
NOTIFYING THE CLEARANCE DEPARTMENT IN PHILADELPHIA ON SMART 333 5391.

| LINE CODE | LINE NAME       | MILE POST LIMITS | BETWEEN                 | STRUCTURE | LOCATION/ DESCRIPTION     | TRACK |
|-----------|-----------------|------------------|-------------------------|-----------|---------------------------|-------|
| 3202      | CHICAGO LINE    | 501.5-523.3      | BUFFINGTON-CHICAGO      | OH 461.02 | M.P.516.00 CTA RR         | 002   |
| 3202      |                 |                  |                         | OH 461.02 | M.P.516.00 CTA RR         | 033   |
| 3202      |                 |                  |                         | OH 461.02 | M.P.516.00 CTA RR         | 034   |
| 5204      | DETROIT LINE    | 2.7- 49.4        | DETROIT STATION         | CAN       | STATION CANOPIES          | 005   |
| 5204      |                 |                  |                         | WIRE      | WIRE XING                 | 006   |
| 5204      |                 |                  |                         | WIRE      | WIRE XING                 | 007   |
| 5221      | DETROIT LINE    | 2.7- 50.1        | DETROIT-ALEXIS          |           | ALL STRS EXCEED CRIT.HT.  | 001   |
| 5204      | MICHIGAN LINE   | 1.4- 7.6         | DETROIT-TOWN LINE       | OH 2.90   | CSXT                      | 001   |
| 5204      |                 |                  |                         | OH 2.90   | CSXT                      | 002   |
| 5204      |                 |                  |                         | OH 5.65   | CSXT (YARD TRACK)         | Y04   |
| 5204      |                 |                  |                         | OH 5.65   | CSXT (YARD TRACK)         | IND   |
| 5204      |                 |                  |                         | OH 5.67   | DT&I RR                   | 001   |
| 5204      |                 |                  |                         | OH 5.67   | DT&I RR                   | 002   |
| 5204      |                 |                  |                         | OH 5.67   | DT&I RR (YARD TRACK)      | Y04   |
| 5204      |                 |                  |                         | OH 5.67   | DT&I RR (YARD TRACK)      | Y06   |
| 5204      |                 |                  |                         | OH 5.67   | DT&I RR (YARD TRACK)      | FNC   |
| 5204      |                 |                  |                         | OH 5.67   | DT&I RR (YARD TRACK)      | IND   |
| 5204      |                 |                  |                         | OH 5.75   | MILLER ROAD               | 001   |
| 5204      |                 |                  |                         | OH 5.75   | MILLER ROAD (YARD TRACK)  | Y04   |
| 5204      |                 |                  |                         | OH 5.75   | MILLER ROAD (YARD TRACK)  | Y06   |
| 5204      |                 |                  |                         | OH 5.75   | MILLER ROAD (YARD TRACK)  | FNC   |
| 5204      |                 |                  |                         | OH 5.75   | MILLER ROAD (YARD TRACK)  | NEW   |
| 5304      | MICHIGAN LINE   | 7.6-140.0        | TOWN LINE-COMSTOCK      | OH 37.61  | AA RR                     | 001   |
| 5304      | MICHIGAN LINE   | 140.0-145.0      | COMSTOCK-KALAMAZOO      |           | ALL STRS EXCEED CRIT.HT.  |       |
| 8431      | DANVILLE SEC    | 32.9-108.2       | SCHNEIDER-DANVILLE      | TT 58.48  | IRIQUOIS RIVER THRU TRUSS | 007   |
| 8431      |                 |                  |                         | OH 107.25 | CF&I RR                   | 007   |
| 3132      | KANKAKEE I.T.   | 78.8- 82.7       | SCHNEIDER-IN/IL ST LINE |           | ALL STRS EXCEED CRIT.HT.  | 007   |
| 3123      | KANKAKEE I.T.   | 82.7-103.5       | IN/IL ST LINE-KANKAKEE  |           | ALL STRS EXCEED CRIT.HT.  | 007   |
| 3632      | MIAMI CUT BR    | 1.2- 4.0         | MAUMEE-STANLEY(SA)      |           | NO OH STRUCTURES          | 007   |
| 3630      | OAKDALE CONN.TK | 286.9-287.8      | CP 286-CP OAK           |           | NO OH STRUCTURES          | 007   |
| 3123      | STREATOR SEC    | 103.5-186.0      | KANKAKEE-HOWE           |           | ALL STRS EXCEED CRIT.HT.  |       |
| 3622      | TOLEDO BRANCH   | 4.0- 8.9         | TOLEDO(SA)-LIME CITY    |           | ALL STRS EXCEED CRIT.HT.  | 007   |



PROGRAM LEGEND  
DATE OF WORK PRECEDES CODE (IF KNOWN)

| CONDITIONS                                                                                                                                                 | CODES                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GRINDING                                                                                                                                                   | (NO. OF PASSES)                                                                                                                                                                    |
| SURFACING                                                                                                                                                  | TYPE OF MACHINE USED<br>E = ELECTROMATIC T = TAMPER<br>P = PLASSER C = PLASSER- CONT. ACTION TAMPER (CAT)                                                                          |
| TIES                                                                                                                                                       | YEAR INSTALLED ONLY FOR MAJOR REHABILITATION<br>ST = SAFETY TIE INSTALLATIONS OF LESS THAN 400 TIES/MILE                                                                           |
| UNDERCUTTING                                                                                                                                               | TYPE OF MACHINE USED<br>PD = PLOW (BULLDOZER) UK = UNDERCUT (KERSHAW)<br>PL = PLOW (LORAM) UP = UNDERCUT (PLASSER)                                                                 |
| RAIL                                                                                                                                                       | TYPE AND CONDITION<br>C = CROPPED HT = HEAT TREATED<br>F = FIT M = MEDIUM MANGANESE<br>/// = CONTINUOUS WELDED RAIL (BUTT WELDED RAILS 79 FEET OR LONGER WHERE LAID IN SUCCESSION) |
| NOTE: ON RAIL WEIGHTS OF OVER 100 LBS., THE NUMBER 1 IS DROPPED.<br>EXAMPLE: 140 LBS. WOULD BE WRITTEN 40. THE WEIGHT WILL PRECEDE THE YEAR RAIL WAS LAID. |                                                                                                                                                                                    |
| BALLAST CLEANING                                                                                                                                           | TYPE OF MACHINE USED<br>L = LORAM S = SPEND                                                                                                                                        |
| TONNAGE                                                                                                                                                    | (MGT) in MILLION GROSS TONS (Prior Year)                                                                                                                                           |
| TIMETABLE SPEED                                                                                                                                            | (25) = LOCAL ORDINANCE<br>PASSENGER/FAST FREIGHT/FREIGHT                                                                                                                           |
| UG CABLE                                                                                                                                                   | FIBER OPTICS                                                                                                                                                                       |
| PROGRAMMED WORK                                                                                                                                            | SURFACE AFTER RAIL                                                                                                                                                                 |

CHART LEGEND

CRITICAL CLEARANCE STRUCTURE (SEE SUMMARY SHEETS)

M/W TEST LOCATION

TUNNEL

BRIDGE (OH & UG)

LONG BRIDGE

RR XING

PUB RD XING (GRADE)

PUB RD XING (GRADE) (W/FLSH)

PUB RD XING (GRADE) (W/FLSH & GATES)

PRIVATE RD XING

AUTOMATIC SIGNAL

CURVE LUBRICATOR

DRAWING EQUIP DET

HOT BOX DET (PT. DIR. TRAFFIC)


HOT BOX & DRAG EQUIP (WITHIN 250')

TIMETABLE M.P.

VALUATION M.P.

ENDANGERED PLANT SPECIES

POLE LINE DIAGRAM



- Δ = NO. 9 COPPER WIRE
- ✓ = NO. 8 COPPER WIRE
- ^ = NO. 8 WEATHER PROOF COPPERWELD
- ! = NO. 8 IRON
- ^ = NO. 6 WEATHER PROOF COPPER
- Δ = NO. 10 WEATHER PROOF COPPERWELD

KEY TO PIN SYMBOLS

- D = DISPATCHER
- R = RADIO
- LD = CARRIER
- P = POWER
- PBX = EXT.
- I = INDICATION
- SP = SPARE
- B = BLOCK
- M = MESSAGE
- C = CODE
- YD = YARD
- X = CROSSING
- HD = DISTANT

KEY TO LINE CIRCUITS

|               |          |          |          |
|---------------|----------|----------|----------|
| GRINDING      | 83       | 84       | 85       |
| SURFACING     | 85       | 85       | 85       |
| TIES          | 81       | 81       | 81       |
| UNDERCUTTING  | 40-75    | 40-75    | 40-75    |
| RAIL          | 40-75    | 40-75    | 40-75    |
| BAL. CLEAN    | 81       | 81       | 81       |
| TONNAGE (MGT) | 50/50/50 | 50/50/50 | 50/50/50 |
| UG CABLE      | 50/50/50 | 50/50/50 | 50/50/50 |


|               |          |          |          |
|---------------|----------|----------|----------|
| GRINDING      | 84       | 85       | 85       |
| SURFACING     | 85       | 85       | 85       |
| TIES          | 81       | 81       | 81       |
| UNDERCUTTING  | 40-75    | 40-75    | 40-75    |
| RAIL          | 40-75    | 40-75    | 40-75    |
| BAL. CLEAN    | 81       | 81       | 81       |
| TONNAGE (MGT) | 40/40/40 | 40/40/40 | 40/40/40 |
| UG CABLE      | 40/40/40 | 40/40/40 | 40/40/40 |

|               |       |       |
|---------------|-------|-------|
| GRINDING      | 004   | WPS   |
| SURFACING     | 86    | 86    |
| TIES          | 86    | 86    |
| UNDERCUTTING  | 40-75 | 40-75 |
| RAIL          | 40-75 | 40-75 |
| BAL. CLEAN    | 86    | 86    |
| TONNAGE (MGT) | 30/30 | 30/30 |
| UG CABLE      | 30/30 | 30/30 |

VALUATION TOWN

BEREA

V2060/V2040




|              |       |
|--------------|-------|
| GRINDING     | 0.02  |
| SURFACING    |       |
| TIES         | 48    |
| UNDERCUTTING |       |
| RAIL CLEAN   | 30-47 |
| TONNAGE(MGT) | 0.1   |
| T SPEED      | 10    |

|              |       |
|--------------|-------|
| GRINDING     | 10.03 |
| SURFACING    |       |
| TIES         | 48    |
| UNDERCUTTING |       |
| RAIL CLEAN   | 30-47 |
| TONNAGE(MGT) | 0.1   |
| T SPEED      | 10    |

|              |          |
|--------------|----------|
| GRINDING     | 0.01     |
| SURFACING    |          |
| TIES         | 90       |
| UNDERCUTTING |          |
| RAIL CLEAN   | 22FB     |
| TONNAGE(MGT) | 0.1      |
| T SPEED      | 70/50/50 |

|              |          |
|--------------|----------|
| GRINDING     | 15/10/02 |
| SURFACING    |          |
| TIES         | 92       |
| UNDERCUTTING |          |
| RAIL CLEAN   | 31FB     |
| TONNAGE(MGT) | 0.1      |
| T SPEED      | 70/50/50 |

|              |          |
|--------------|----------|
| GRINDING     | 15/10/10 |
| SURFACING    |          |
| TIES         | 85       |
| UNDERCUTTING |          |
| RAIL CLEAN   | 31FB     |
| TONNAGE(MGT) | 0.5      |
| T SPEED      | 40       |








|               |          |     |
|---------------|----------|-----|
| GRINDING      | 21       | 002 |
| SURFACING     | 28       |     |
| YES           | 90       |     |
| UNDERCUTTING  |          |     |
| RAIL          | 40-75    |     |
| RAIL CLEAN    | 28       |     |
| TONNAGE (MGT) | 27.5     |     |
| SPEED         | 70/70/50 |     |

00 10 03

[illegible]

|              |       |          |       |          |          |
|--------------|-------|----------|-------|----------|----------|
| GRINDING     | 91    | 90       | 91    | 91       | 91       |
| SURFACING    |       |          |       |          |          |
| TIES         |       |          |       |          |          |
| UNDERCUTTING | 57-78 | 87       | 36-68 | 85       | 40-69    |
| RAIL         |       |          |       |          |          |
| BAL CLEAN    | 84    | 32.6     | 85    | 92       | 62       |
| TONNAGE(MGT) |       |          |       |          |          |
| T SPEED      |       | 79/70/50 |       | 70/70/50 | 79/70/50 |

|              |       |          |       |          |          |
|--------------|-------|----------|-------|----------|----------|
| GRINDING     | 91    | 90       | 91    | 91       | 91       |
| SURFACING    |       |          |       |          |          |
| TIES         |       |          |       |          |          |
| UNDERCUTTING | 40-78 | 86       | 32-87 | 32-89    | 40-69    |
| RAIL         |       |          |       |          |          |
| BAL CLEAN    | 98    | 37.1     | 98    | 92       | 98       |
| TONNAGE(MGT) |       |          |       |          |          |
| T SPEED      |       | 79/70/50 |       | 70/70/50 | 79/70/50 |

001

002

|              |       |
|--------------|-------|
| GRINDING     |       |
| SURFACING    | 85    |
| TIES         | 85    |
| UNDERCUTTING |       |
| RAIL         | 27-44 |
| BAL CLEAN    |       |
| TONNAGE(MGT) | 1.0   |
| T SPEED      | 20    |

SCS


FIBER OPTICS

VALUATION  
TOWN

BURNS HARBOR V2160

CHESTERTON

FACILITY



001  
002  
SCS

DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION

VERT. ALIGNMENT

GRADE

00 01 13 36 10 02 00 03 00 07

FIBER OPTICS

OT : S





FACILITY

P I N O L A

V2160


LAPORTE

FACILITY

DEG OF CURVE  
 HORIZ. ALIGNMENT  
 SUPER ELEVATION

VERT. ALIGNMENT

**GRADE**




|               |       |
|---------------|-------|
| GRINDING      | 91    |
| SURFACING     | 85    |
| UNDERCUTTING  | 83    |
| RAIL          | 27.85 |
| BAL. CLEAN    |       |
| TONNAGE (MGT) | 1.0   |
| TY SPEED      | 20    |


001


002

SCS

FIBER OPTICS



[illegible]


002

|              |          |          |    |          |       |          |  |          |    |
|--------------|----------|----------|----|----------|-------|----------|--|----------|----|
| GRINDING     | 91       | 91       |    |          | 90    | 90       |  |          | 91 |
| SURFACING    |          |          |    |          |       |          |  |          |    |
| TIES         | 91       |          | 91 |          | 86    |          |  | 91       |    |
| UNDERCUTTING |          |          |    |          |       |          |  |          |    |
| RAIL         | 40-77    | 36-68    |    | 32-87    | 36-68 | 40-74    |  |          |    |
| BAL CLEAN    | 90       | 89       |    |          | 87    | 92       |  | 88       |    |
| TONNAGE(MGT) |          |          |    |          | 46.7  |          |  |          |    |
| T SPEED      | 79/70/50 | 70/70/50 |    | 35/35/35 |       | 70/70/50 |  | 79/70/50 |    |

|              |          |          |  |          |      |          |  |          |  |
|--------------|----------|----------|--|----------|------|----------|--|----------|--|
| GRINDING     | 90       | 88       |  |          | 90   |          |  | 90       |  |
| SURFACING    |          |          |  |          |      |          |  |          |  |
| TIES         |          | 92       |  |          | 87   |          |  | 92       |  |
| UNDERCUTTING |          |          |  |          |      |          |  |          |  |
| RAIL         |          | 36N92    |  | 32-89    |      | 36N92    |  |          |  |
| BAL CLEAN    |          | 83       |  |          |      | 92       |  | 87       |  |
| TONNAGE(MGT) |          |          |  |          | 52.4 |          |  |          |  |
| T SPEED      | 79/70/50 | 70/70/50 |  | 35/35/35 |      | 70/70/50 |  | 79/70/50 |  |

|              |       |       |
|--------------|-------|-------|
| GRINDING     |       |       |
| SURFACING    |       | 87    |
| TIES         |       | 87    |
| UNDERCUTTING |       |       |
| RAIL         | 27-29 | 27-29 |
| BAL CLEAN    |       | 645   |
| TONNAGE(MGT) |       | 1.0   |
| T SPEED      |       | 10    |

FIBER OPTICS




|              |       |
|--------------|-------|
| GRINDING     | 90    |
| SURFACING    | 88    |
| TIES         | 86    |
| UNDERCUTTING |       |
| RAIL         | 27F86 |
| HAL CLEAN    |       |
| TONNAGE(MGT) | 5.0   |
| T T SPEED    | 20    |

ELKHART

FACILITY

VERT. ALIGNMENT

GRADE



001  
002  
SCS

THIS PAGE INTENTIONALLY LEFT BLANK

|              |          |      |          |    |     |      |    |
|--------------|----------|------|----------|----|-----|------|----|
| GRINDING     | 88       | 88   | 91       | 88 | 91  | 88   | 89 |
| SURFACING    | 89       | 89   | 82       | 89 | --- | 89   | 89 |
| TIES         |          |      |          |    |     |      |    |
| UNDERCUTTING |          |      |          |    |     |      |    |
| RAIL         |          |      |          |    |     |      |    |
| BAL. CLEAN   |          |      |          |    |     |      |    |
| TONNAGE(MGT) | 70/70/50 | 48.4 | 79/70/50 |    |     | 42.0 |    |
| T Y SPEED    |          |      |          |    |     |      |    |

001

|              |          |      |          |    |    |      |
|--------------|----------|------|----------|----|----|------|
| GRINDING     | 88       | 88   | 91       | 88 | 91 | 89   |
| SURFACING    |          |      |          |    |    |      |
| TIES         |          |      |          |    |    |      |
| UNDERCUTTING |          |      |          |    |    |      |
| RAIL         |          |      |          |    |    |      |
| BAL. CLEAN   |          |      |          |    |    |      |
| TONNAGE(MGT) | 70/70/50 | 59.4 | 79/70/50 |    |    | 52.7 |
| T Y SPEED    |          |      |          |    |    |      |

002

|              |     |
|--------------|-----|
| GRINDING     |     |
| SURFACING    | 91  |
| TIES         | 88  |
| UNDERCUTTING |     |
| RAIL         |     |
| BAL. CLEAN   |     |
| TONNAGE(MGT) | 0.5 |
| T Y SPEED    | 30  |

SCS

FIBER OPTICS


VALUATION  
TOWN

DUNLAP

V2110

GOSHEN

FACILITY




001  
002  
SCS

DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION  
VERT. ALIGNMENT  
GRADE

| GRINDING      |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |
|---------------|--|--|--|--|--|--|--|--|--|--|----|--|--|--|--|--|--|--|--|--|--|
| SURFACING     |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |
| TIES          |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |
| UNDERCUTTING  |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |
| RAIL          |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |
| BAL CLEAN     |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |
| TONNAGE (MGY) |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |
| T T SPEED     |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |

| GRINDING      |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |
|---------------|--|--|--|--|--|--|--|--|--|--|----|--|--|--|--|--|--|--|--|--|--|
| SURFACING     |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |
| TIES          |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |
| UNDERCUTTING  |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |
| RAIL          |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |
| BAL CLEAN     |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |
| TONNAGE (MGY) |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |
| T T SPEED     |  |  |  |  |  |  |  |  |  |  | 89 |  |  |  |  |  |  |  |  |  |  |








| GRINDING      |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |
|---------------|--|--|--|--|--|--|--|--|--|--|----|--|--|--|--|--|--|--|--|--|--|
| SURFACING     |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |
| TIES          |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |
| UNDERCUTTING  |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |
| RAIL          |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |
| BAL. CLEAN    |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |
| TONNAGE (WGT) |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |
| T T SPEED     |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |

| GRINDING      |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |
|---------------|--|--|--|--|--|--|--|--|--|--|----|--|--|--|--|--|--|--|--|--|--|
| SURFACING     |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |
| TIES          |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |
| UNDERCUTTING  |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |
| RAIL          |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |
| BAL. CLEAN    |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |
| TONNAGE (WGT) |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |
| T T SPEED     |  |  |  |  |  |  |  |  |  |  | 69 |  |  |  |  |  |  |  |  |  |  |



[illegible]

[illegible]

|              |          |          |
|--------------|----------|----------|
| GRINDING     | 88       | 89       |
| SURFACING    | 92       | 92       |
| TIES         | 92       | 92       |
| UNDERCUTTING | 36-66    | 32-86    |
| RAIL         | 92       | 92       |
| BAL. CLEAN   | 42.0     | 42.0     |
| TONNAGE(MGT) | 79770/50 | 79770/50 |
| T T SPEED    |          |          |

|              |          |          |          |          |
|--------------|----------|----------|----------|----------|
| GRINDING     | 88       | 91       | 89       | 88       |
| SURFACING    | 84       | 84       | 88       | 84       |
| TIES         | 36-63    | 40-71    | 88       | 88       |
| UNDERCUTTING | 84       | 84       | 88       | 84       |
| RAIL         | 84       | 84       | 88       | 84       |
| BAL. CLEAN   | 52.7     | 52.7     | 52.7     | 52.7     |
| TONNAGE(MGT) | 79770/50 | 79770/50 | 79770/50 | 79770/50 |
| T T SPEED    |          |          |          |          |

FIBER OPTICS

VALUATION  
TOWN

WATERLOO

V2110

FACILITY


DEG OF CURVE


HORIZ. ALIGNMENT

SUPER ELEVATION


VERT. ALIGNMENT

GRADE









|     |               |
|-----|---------------|
| NCS | 23            |
|     | $\frac{1}{0}$ |

001002


WAUSEON





FIBER OPTICS


DELTA



[illegible]

|              |    |          |    |
|--------------|----|----------|----|
| GRINDING     | 91 | 91       | 90 |
| SURFACING    |    | 89       |    |
| TIES         |    |          |    |
| UNDERCUTTING |    |          |    |
| RAIL         |    | 40.7     |    |
| RAIL CLEAN   |    | 89       |    |
| TONNAGE(MGT) |    | 53.7     |    |
| TY SPEED     |    | 79270/50 |    |

**V2100**



|              |       |     |     |
|--------------|-------|-----|-----|
| GRINDING     |       | NCS | NCS |
| SURFACING    | 84    | 80  | 1   |
| TIES         | 84    | 80  |     |
| UNDERCUTTING |       |     |     |
| RAIL         | 27.43 |     |     |
| RAIL CLEAN   |       |     |     |
| TONNAGE(MGT) | 0.5   | 0.5 |     |
| T T SPEED    | 20    | 20  |     |

|              |          |  |          |          |          |
|--------------|----------|--|----------|----------|----------|
| GRINDING     | 90       |  |          |          | 91       |
| SURFACING    | 91       |  |          |          | 90       |
| TIES         | 91       |  |          |          | 88       |
| UNDERCUTTING |          |  |          |          |          |
| RAIL         | 52.88    |  |          |          |          |
| RAIL CLEAN   | 60       |  |          |          | 58       |
| TONNAGE(MGT) | 42.0     |  |          |          |          |
| T T SPEED    | 79/70/50 |  | 70/70/50 | 60/60/50 | 60/50/50 |

|              |          |  |          |          |          |
|--------------|----------|--|----------|----------|----------|
| GRINDING     | 90       |  |          |          | 91       |
| SURFACING    | 91       |  |          |          | 89       |
| TIES         | 89       |  |          |          |          |
| UNDERCUTTING |          |  |          |          |          |
| RAIL         | 40.11    |  |          |          | 40.77    |
| RAIL CLEAN   | 58       |  |          |          | 67       |
| TONNAGE(MGT) | 52.7     |  |          |          |          |
| T T SPEED    | 79/70/50 |  | 70/70/50 | 60/60/50 | 60/50/50 |

NCS  
001  
002

FIBER OPTICS


VALUATION  
TOWN

HOLLAND

V2100|V2080

AIRLINE JCT

FACILITY



NCS  
001  
002

DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION  
VERT. ALIGNMENT  
GRADE

|              |          |          |          |          |          |          |          |
|--------------|----------|----------|----------|----------|----------|----------|----------|
| GRINDING     | 90       | 91       | 90       | 89       | 92       | 90       | 91       |
| SURFACING    | 88       | 88       | 88       | 88       | 88       | 88       | 88       |
| TIES         | 32-85    | 32-79    | 32-88    | 32-90    | 40-75    | 32-86    | 32-89    |
| UNDERCUTTING | 40-77    | 40-77    | 40-77    | 40-77    | 40-75    | 40-76    | 40-76    |
| RAIL         | 40-77    | 40-77    | 40-77    | 40-77    | 40-75    | 40-76    | 40-76    |
| BAL CLEAN    | 40-77    | 40-77    | 40-77    | 40-77    | 40-75    | 40-76    | 40-76    |
| TONNAGE(MGT) | 44.0     | 44.0     | 44.0     | 44.0     | 44.0     | 44.0     | 44.0     |
| T T SPEED    | 60/50/50 | 60/50/50 | 60/50/50 | 60/50/50 | 60/50/50 | 60/50/50 | 60/50/50 |

|              |          |          |          |          |          |          |          |
|--------------|----------|----------|----------|----------|----------|----------|----------|
| GRINDING     | 91       | 91       | 90       | 89       | 90       | 92       | 91       |
| SURFACING    | 89       | 89       | 89       | 89       | 89       | 89       | 89       |
| TIES         | 40-77    | 40-77    | 40-77    | 40-77    | 40-75    | 40-76    | 40-76    |
| UNDERCUTTING | 40-77    | 40-77    | 40-77    | 40-77    | 40-75    | 40-76    | 40-76    |
| RAIL         | 40-77    | 40-77    | 40-77    | 40-77    | 40-75    | 40-76    | 40-76    |
| BAL CLEAN    | 40-77    | 40-77    | 40-77    | 40-77    | 40-75    | 40-76    | 40-76    |
| TONNAGE(MGT) | 57.8     | 57.8     | 57.8     | 57.8     | 57.8     | 57.8     | 57.8     |
| T T SPEED    | 60/50/50 | 60/50/50 | 60/50/50 | 60/50/50 | 60/50/50 | 60/50/50 | 60/50/50 |

|              |       |
|--------------|-------|
| GRINDING     | 92    |
| SURFACING    | 92    |
| TIES         | 27-26 |
| UNDERCUTTING | 27-26 |
| RAIL         | 27-26 |
| BAL CLEAN    | 0.5   |
| TONNAGE(MGT) | 30    |
| T T SPEED    | 30    |

FIBER OPTICS

VALUATION  
TOWN

TOLEDO

FASSETT

VICKERS

v2060/v2060

MILLBURY

FACILITY


DEG OF CURVE


HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE






FIBER OPTICS

LACARNE

GRADE

001  
002



FIBER OPTICS

VALUATION  
TOWN

V2060  
PORT CLINTON


GYP SUM

FACILITY

DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION

VERT. ALIGNMENT

GRADE



|     |    |
|-----|----|
| NCS | 31 |
|     | HO |

001

002

SCSVALUATION  
TOWN

DANBURY      BAY BRIDGE

Y2060

VENICE

SANDUSKY





|               |       |       |          |       |    |          |       |    |          |  |    |
|---------------|-------|-------|----------|-------|----|----------|-------|----|----------|--|----|
| GRINDING      | 89    | 91    |          |       | 89 |          |       | 91 | 89       |  | 91 |
| SURFACING     |       |       |          |       |    |          |       |    |          |  |    |
| TIES          |       |       |          |       |    |          |       |    |          |  |    |
| UNDERCUTTING  | 84    |       | 84       |       | 84 |          | 84    |    | 84       |  | 87 |
| RAIL CLEAN    | 36-68 | 32-90 |          | 40-72 |    | 36-67    | 32-90 |    | 36-67    |  |    |
| TONNAGE (MGT) |       |       |          | 44.0  |    |          |       |    |          |  |    |
| T SPEED       |       |       | 79/70/50 |       |    | 70/70/50 |       |    | 79/70/50 |  |    |

|               |       |  |          |      |       |          |       |       |          |       |    |
|---------------|-------|--|----------|------|-------|----------|-------|-------|----------|-------|----|
| GRINDING      |       |  |          | 91   |       |          |       |       |          |       | 91 |
| SURFACING     |       |  |          |      |       |          |       |       |          |       |    |
| TIES          |       |  |          |      |       |          |       |       |          |       |    |
| UNDERCUTTING  | 82    |  | 83       |      | 83    |          | 83    |       | 83       |       | 83 |
| RAIL CLEAN    | 36-63 |  | 40-72    |      | 36-63 | 32-89    | 36-63 | 32-87 |          | 40-71 |    |
| TONNAGE (MGT) |       |  |          | 57.8 |       |          |       |       |          |       |    |
| T SPEED       |       |  | 79/70/50 |      |       | 70/70/50 |       |       | 79/70/50 |       |    |

FIBER OPTICS

VALUATION  
TOWN

V2060


HURON

FACILITY

DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION

VERT. ALIGNMENT

GRADE




|              |    |          |    |          |       |          |       |
|--------------|----|----------|----|----------|-------|----------|-------|
| GRINDING     | 91 | 89       | 91 | 91       | 89    | 91       | 90    |
| SURFACING    |    |          |    |          |       |          |       |
| TIES         |    |          | 91 |          |       |          |       |
| UNDERCUTTING |    | 87       |    |          | 87    |          | 84    |
| RAIL         |    | 36-67    |    |          | 36-66 | 37-90    | 36-66 |
| BAL. CLEAN   |    |          |    | 44.0     |       |          |       |
| TONNAGE(MGT) |    |          |    |          |       |          |       |
| T SPEED      |    | 79/70/50 |    | 75/70/50 |       | 79/70/50 |       |

|              |       |          |       |          |       |          |        |
|--------------|-------|----------|-------|----------|-------|----------|--------|
| GRINDING     |       |          |       | 91       |       |          |        |
| SURFACING    |       |          |       |          |       |          |        |
| TIES         |       |          |       | 88       |       |          |        |
| UNDERCUTTING | 83    |          | 40-71 |          | 36-62 | 32-89    | 127FA0 |
| RAIL         | 32-9V |          |       |          |       |          |        |
| BAL. CLEAN   |       |          |       | 57.8     |       |          |        |
| TONNAGE(MGT) |       |          |       |          |       |          |        |
| T SPEED      |       | 79/70/50 |       | 75/70/50 |       | 79/70/50 |        |

FIBER OPTICS




|              |       |       |       | NCS |    | NCS |  | NCS |  |
|--------------|-------|-------|-------|-----|----|-----|--|-----|--|
| GRINDING     |       | 64(T) |       |     |    |     |  |     |  |
| SURFACING    | 67    |       | 85    |     |    |     |  | 85  |  |
| TIES         |       |       | 85    |     |    |     |  | 85  |  |
| UNDERCUTTING |       |       |       |     |    |     |  |     |  |
| RAIL         | 27-45 |       | 27-44 |     |    |     |  |     |  |
| RAIL CLEAN   |       | 90    |       |     |    |     |  |     |  |
| TONNAGE(MGT) |       |       | 7.2   |     | 88 |     |  | 88  |  |
| T. SPEED     |       |       | 20    |     |    | 20  |  | 20  |  |

| GRINDING      |  |  |  |  |  |  |  |  |  |  | 91 |  |  |  |  |  |  |  |  |  |  | 91 |  |  |  |  |  |  |  |  |  |  | 91 |
|---------------|--|--|--|--|--|--|--|--|--|--|----|--|--|--|--|--|--|--|--|--|--|----|--|--|--|--|--|--|--|--|--|--|----|
| SURFACING     |  |  |  |  |  |  |  |  |  |  | 91 |  |  |  |  |  |  |  |  |  |  | 91 |  |  |  |  |  |  |  |  |  |  | 91 |
| TIES          |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |
| UNDERCUTTING  |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |
| RAIL          |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |
| BAL. CLEAN    |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |
| TONNAGE (MGT) |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |
| T Y SPEED     |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |

| GRINDING      |  |  |  |  |  |  |  |  |  |  | 91 |  |  |  |  |  |  |  |  |  |  | 91 |  |  |  |  |  |  |  |  |  |  | 91 |
|---------------|--|--|--|--|--|--|--|--|--|--|----|--|--|--|--|--|--|--|--|--|--|----|--|--|--|--|--|--|--|--|--|--|----|
| SURFACING     |  |  |  |  |  |  |  |  |  |  | 91 |  |  |  |  |  |  |  |  |  |  | 91 |  |  |  |  |  |  |  |  |  |  | 91 |
| TIES          |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |
| UNDERCUTTING  |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |
| RAIL          |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |
| BAL. CLEAN    |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |
| TONNAGE (MGT) |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |
| T Y SPEED     |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |  |    |



350

- M



|              |       |
|--------------|-------|
| GRINDING     |       |
| SURFACING    | 87    |
| TIES         | 78    |
| UNDERCUTTING | 27-27 |
| RAIL         | 05-22 |
| BAL. CLEAN   | 3.0   |
| TONNAGE(MGT) | 20    |
| T SPEED      |       |

NCS

|              |          |          |  |  |
|--------------|----------|----------|--|--|
| GRINDING     |          | 80       |  |  |
| SURFACING    |          | 91       |  |  |
| TIES         |          | 88       |  |  |
| UNDERCUTTING | 40-72    | 88       |  |  |
| RAIL         | 42-86    |          |  |  |
| BAL. CLEAN   | 92       |          |  |  |
| TONNAGE(MGT) | 44.0     |          |  |  |
| T SPEED      | 79/70/50 | 70/70/50 |  |  |

001

|              |          |          |  |  |
|--------------|----------|----------|--|--|
| GRINDING     |          | 91       |  |  |
| SURFACING    |          | 88       |  |  |
| TIES         |          | 88       |  |  |
| UNDERCUTTING | 40-72    | 88       |  |  |
| RAIL         | 42-86    |          |  |  |
| BAL. CLEAN   | 92       |          |  |  |
| TONNAGE(MGT) | 57.8     |          |  |  |
| T SPEED      | 79/70/50 | 70/70/50 |  |  |

002

50/50/50


FIBER OPTICS

VALUATION  
TOWN

V2060  
OLMSTED, FALLS

BEREA

FACILITY



DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION


VERT. ALIGNMENT

GRADE

30 .02 16 22 .04 .47 .04 29

001002

30/30/30



|              |     |
|--------------|-----|
| GRINDING     |     |
| SURFACING    |     |
| TIES         |     |
| UNDERCUTTING |     |
| RAIL         |     |
| BAL. CLEAN   |     |
| TONNAGE(MGT) | 001 |
| T T SPEED    |     |

50/50/50

|              |     |
|--------------|-----|
| GRINDING     |     |
| SURFACING    |     |
| TIES         |     |
| UNDERCUTTING |     |
| RAIL         |     |
| BAL. CLEAN   |     |
| TONNAGE(MGT) | 002 |
| T T SPEED    |     |

50/50/50

FIBER OPTICS

VALUATION V2080  
TOWN



FACILITY

OH 50.07  
50.1

001  
002


ALEXIS RD

DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION

VERT. ALIGNMENT

GRADE

18



|               |        |          |  |
|---------------|--------|----------|--|
| GRINDING      |        | 91       |  |
| SURFACING     |        | 89       |  |
| TIES          |        | 89       |  |
| UNDERCUTTING  |        |          |  |
| RAIL          | 27F 76 | 27F 71   |  |
| BAL. CLEAN    |        | 15       |  |
| TONNAGE (MGY) |        | 50/50/50 |  |
| T. T. SPEED   |        |          |  |

|               |        |          |  |
|---------------|--------|----------|--|
| GRINDING      |        | 91       |  |
| SURFACING     | 86     | 86       |  |
| TIES          | 86     | 86       |  |
| UNDERCUTTING  |        |          |  |
| RAIL          | 27F 71 | 40-76    |  |
| BAL. CLEAN    |        | 15       |  |
| TONNAGE (MGY) |        | 50/50/50 |  |
| T. T. SPEED   |        |          |  |





[illegible]

002

FIBER OPTICS

VALUATION  
TOWN

FACILITY

DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE

QUARRY MONROE <sup>V4081</sup>

STONEY CREEK

41  
M

0.00

-MP

IP 30.

1/01/

REV.

INE

TROI T

22A

50

GRADE

ROCKWOOD

GIBBALTAR.

|                |     |          |    |        |
|----------------|-----|----------|----|--------|
| GRINDING       |     | 91       |    | 89     |
| SURFACING      |     | 87C      |    | 89     |
| FILES          |     | 81       |    | 89     |
| UNDERCUTTING   |     |          |    |        |
| RAIL           |     |          |    |        |
| BAL. CLEAN     |     |          |    |        |
| TONNAGE (WGT.) | 885 | 51F 82   | 92 | 17F 78 |
| TY SPEED       |     | 14.2     |    |        |
|                |     | 50/50/50 |    |        |

001

001

|               |       |          |
|---------------|-------|----------|
| GRINDING      |       | 64       |
| SURFACING     |       | 89       |
| TIES          |       | 89       |
| UNDERCUTTING  |       |          |
| RAIL          | 40-76 | 40-77    |
| BE CLEAN      |       | 86       |
| CONNAGE (MGT) |       | 14       |
| T Y SPEED     |       | 50/50/50 |

002

FIBER OPTICS

VALUATION  
TOWN

NEWPORT

V4051

ROCKWOOD

CAL GON

FACILITY

DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

|       |  |
|-------|--|
| GRADE |  |
|-------|--|

002

50-522A DETROIT LINE


REV. 01/01/93

MP 20.00 -MP 30.00

43  
—  
Σ

|              |          |       |          |
|--------------|----------|-------|----------|
| GRINDING     | 84       |       | 85       |
| SURFACING    | 89       |       | 85       |
| FILES        | 89       |       | 84       |
| UNDERCUTTING |          |       |          |
| RAIL         | 40-77    | 40F85 | 31F85    |
| BEST CLEAN   | 86       |       | 84       |
| TONNAGE (MT) |          | 14.2  |          |
| 1" SPEED     | 50/50/50 |       | 40/40/40 |

002



001


002002

|               |          |  |  |    |       |  |  |     |       |  |  |  |       |  |    |    |          |  |  |    |     |  |  |  |  |  |  |  |  |  |  |  |  |
|---------------|----------|--|--|----|-------|--|--|-----|-------|--|--|--|-------|--|----|----|----------|--|--|----|-----|--|--|--|--|--|--|--|--|--|--|--|--|
| GRINDING      |          |  |  |    |       |  |  |     |       |  |  |  |       |  |    |    | 91       |  |  |    |     |  |  |  |  |  |  |  |  |  |  |  |  |
| SURFACING     | 89       |  |  | 85 |       |  |  | 80E |       |  |  |  |       |  | 85 |    |          |  |  | 84 |     |  |  |  |  |  |  |  |  |  |  |  |  |
| TIES          | 89       |  |  | 84 |       |  |  |     | 67    |  |  |  |       |  |    | 84 |          |  |  |    |     |  |  |  |  |  |  |  |  |  |  |  |  |
| UNDERCUTTING  |          |  |  |    |       |  |  |     |       |  |  |  |       |  |    |    |          |  |  |    |     |  |  |  |  |  |  |  |  |  |  |  |  |
| RAIL          | 27F79    |  |  |    | 31F85 |  |  |     | 27F68 |  |  |  | 31F85 |  |    |    |          |  |  |    |     |  |  |  |  |  |  |  |  |  |  |  |  |
| BAL. CLEAN    |          |  |  |    |       |  |  |     |       |  |  |  |       |  |    |    |          |  |  |    |     |  |  |  |  |  |  |  |  |  |  |  |  |
| TONNAGE (MGT) | 13.3     |  |  |    |       |  |  |     |       |  |  |  | 9.7   |  |    |    | 30/30/30 |  |  |    | 6.4 |  |  |  |  |  |  |  |  |  |  |  |  |
| T SPEED       | 40/40/40 |  |  |    |       |  |  |     |       |  |  |  |       |  |    |    |          |  |  |    |     |  |  |  |  |  |  |  |  |  |  |  |  |
|               | 25/25/25 |  |  |    |       |  |  |     |       |  |  |  |       |  |    |    |          |  |  |    |     |  |  |  |  |  |  |  |  |  |  |  |  |

001

|               |          |  |  |  |       |  |  |  |       |  |  |  |     |    |    |  |          |  |    |  |     |  |  |  |  |  |  |  |  |  |  |  |  |
|---------------|----------|--|--|--|-------|--|--|--|-------|--|--|--|-----|----|----|--|----------|--|----|--|-----|--|--|--|--|--|--|--|--|--|--|--|--|
| GRINDING      |          |  |  |  |       |  |  |  |       |  |  |  |     |    |    |  | 91       |  |    |  |     |  |  |  |  |  |  |  |  |  |  |  |  |
| SURFACING     | 85       |  |  |  | 85    |  |  |  | 81    |  |  |  |     | 85 |    |  |          |  | 85 |  |     |  |  |  |  |  |  |  |  |  |  |  |  |
| TIES          |          |  |  |  | 84    |  |  |  | 57    |  |  |  |     |    | 84 |  |          |  |    |  |     |  |  |  |  |  |  |  |  |  |  |  |  |
| UNDERCUTTING  |          |  |  |  |       |  |  |  |       |  |  |  |     |    |    |  |          |  |    |  |     |  |  |  |  |  |  |  |  |  |  |  |  |
| RAIL          | 31F85    |  |  |  | 27F68 |  |  |  | 31F85 |  |  |  |     |    |    |  |          |  |    |  |     |  |  |  |  |  |  |  |  |  |  |  |  |
| BAL. CLEAN    |          |  |  |  |       |  |  |  |       |  |  |  |     |    |    |  |          |  |    |  |     |  |  |  |  |  |  |  |  |  |  |  |  |
| TONNAGE (MGT) | 10.5     |  |  |  |       |  |  |  |       |  |  |  | 8.0 |    |    |  | 20/20/20 |  |    |  | 5.0 |  |  |  |  |  |  |  |  |  |  |  |  |
| T SPEED       | 40/40/40 |  |  |  |       |  |  |  |       |  |  |  |     |    |    |  |          |  |    |  |     |  |  |  |  |  |  |  |  |  |  |  |  |
|               | 5.0      |  |  |  |       |  |  |  |       |  |  |  |     |    |    |  |          |  |    |  |     |  |  |  |  |  |  |  |  |  |  |  |  |

002



NCS

001002

|              |      |
|--------------|------|
| FIBER OPTICS | //// |
|--------------|------|

VALUATION  
TOWN

ASYLUM

KALAMAZOO

V4012

BOTSFORD

FACILITY

DEG OF CURVE

HORIZ. ALIGNMENT

**SUPER ELEVATION**

VERT. ALIGNMENT

GRADE

NCS  
001  
002



VALUATION  
TOWN

COMSTOCK

V4012  
GALESBURG

FACILITY

DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION

VERT. ALIGNMENT


GRADE




007

55/55/50

FIBER OPTICS

001  
007



50-5304 MICHIGAN LINE

|              |     |          |          |          |          |          |       |          |     |
|--------------|-----|----------|----------|----------|----------|----------|-------|----------|-----|
| GRINDING     | 002 | 1040     |          |          |          |          |       |          | 007 |
| SURFACING    |     |          | 88       |          |          |          |       | 88       |     |
| TIES         | 88  | 80       | 87C      | 86       |          |          |       | 87       | 86  |
| UNDERCUTTING |     |          |          |          |          |          |       |          |     |
| RAIL         |     | 31F87    | 40F87    | 40F87    | 40F87    | 40F87    | 40F87 | 32F87    |     |
| RAIL CLEAN   |     | 67S      | 84       |          |          |          |       | 84       |     |
| TOWN (SECT)  |     | 3.5      |          |          |          |          |       | 7.1      |     |
| TY SPEED     |     | 40/40/40 | 60/60/50 | 60/60/50 | 60/60/50 | 55/55/50 |       | 60/60/50 |     |

002

LEVIT<sup>V4012</sup>TOWN WHEATFIELD CERESCO

|               |          |          |       |       |          |       |
|---------------|----------|----------|-------|-------|----------|-------|
| GRINDING      | 86       | 86       | 87    | 86    | 82       | 82    |
| SURFACING     |          |          |       |       |          |       |
| TIES          |          |          |       |       |          |       |
| UNDERCUTTING  | 32F87    | 40F87    | 32F87 | 32F87 | 32F87    | 32F87 |
| RAIL          |          |          |       |       |          |       |
| BAL. CLEAN    | 84       | 66S      | 84    | 7.1   | 82       | 66S   |
| TONNAGE (MGT) |          |          |       |       |          |       |
| T. SPEED      | 60/60/50 | 55/55/50 |       |       | 60/60/50 |       |

007

FIBER OPTICS

VALUATION  
TOWN

MARSHALL

V4012

MARENGO

FACILITY


DEG. OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE




007

|               |       |
|---------------|-------|
| GRINDING      |       |
| SURFACING     | 87    |
| TIES          | 87    |
| UNDERCUTTING  |       |
| RAIL          | 32F87 |
| RAIL CLEAN    |       |
| TONNAGE (MGT) | 0.2   |
| TY SPEED      | 20    |

SCS

VALUATION  
TOWN


BATH MILLS





|              | 007      |          | 002 |      | 002 |          | 007 |          |
|--------------|----------|----------|-----|------|-----|----------|-----|----------|
| GRINDING     | 85       | 87       |     |      |     |          |     | 88       |
| SURFACING    | 85       |          |     | 87   |     |          |     | 85       |
| UNDERCUTTING |          |          |     |      |     |          |     |          |
| RAIL         | 31F87    |          |     |      |     |          |     | 31F86    |
| BA (CLEAN    | 84       | 82       |     |      |     |          |     | 84       |
| Y (NOS. 2)   |          |          |     |      |     |          |     |          |
| OT. SPEED    | 60/60/50 | 60/60/50 |     | (45) |     | 70/60/50 |     | 60/60/50 |

007








56 MI

MP 50.00 - MP 60.00

REV. 01/01/93

50-5304 MICHIGAN LINE



|              |       |
|--------------|-------|
| GRINDING     | 85    |
| SURFACING    | 85C   |
| TIES         | 85    |
| UNDERCUTTING | 85    |
| RAIL         | 40F86 |
| BAL CLEAN    | 84    |
| TONNAGE(MGT) | 0.2   |
| T SPEED      | 20    |

|              |       |       |       |       |
|--------------|-------|-------|-------|-------|
| GRINDING     | 85    | 85C   | 85    | 85C   |
| SURFACING    | 85    | 85C   | 85    | 85C   |
| TIES         | 85    | 85C   | 85    | 85C   |
| UNDERCUTTING | 85    | 85C   | 85    | 85C   |
| RAIL         | 40F86 | 40F86 | 40F86 | 40F86 |
| BAL CLEAN    | 84    | 84    | 84    | 84    |
| TONNAGE(MGT) | 6.0   | 6.0   | 6.0   | 6.0   |
| T SPEED      | 70    | 70    | 70    | 70    |

NCS

007

NCS 007



[illegible]

007


## FIBER OPTICS

VALUATION  
TOWN

ANN ARBOR

V4012

GEDDES






50-5304 MICHIGAN LINE

|               |       |
|---------------|-------|
| GRINDING      |       |
| SURFACING     |       |
| TIES          |       |
| UNDERCUTTING  |       |
| RAIL          | 05-25 |
| BAR CLEAN     |       |
| TONNAGE (MGT) | 0.5   |
| TY SPEED      | 15    |

SCS

INKSTER



|              |          |
|--------------|----------|
| GRINDING     | 55       |
| SURFACING    | 55       |
| TIES         | 76       |
| UNDERCUTTING |          |
| RAIL         | 27F88    |
| RAIL CLEAN   | 82L      |
| TONNAGE(MGT) | 3.2      |
| T SPEED      | 70/80/50 |


001

|              |          |          |    |
|--------------|----------|----------|----|
| GRINDING     | 007      | 002      | 55 |
| SURFACING    | 55       | 55       | 55 |
| TIES         | 55       | 55       | 55 |
| UNDERCUTTING |          |          |    |
| RAIL         | 27F88    | 27F88    |    |
| RAIL CLEAN   | 85       | 85       |    |
| TONNAGE(MGT) | 3.2      | 3.2      |    |
| T SPEED      | 70/80/50 | 70/80/50 |    |

002

FIBER OPTICS

VALUATION TOWN V4012 DEARBORN



001  
002

62

MI

7.60

-MP

MP 1.00

REV. 01/01/93

50-5204 MICHIGAN LINE

|              |       |
|--------------|-------|
| GRINDING     |       |
| SURFACING    | 75E   |
| TIES         | 75    |
| UNDERCUTTING |       |
| RAIL         | 27-27 |
| BAL. CLEAN   | 75S   |
| TONNAGE(MGT) | 0.5   |
| T T SPEED    | 15    |

007

|              |          |          |    |
|--------------|----------|----------|----|
| GRINDING     | 88       | 81       | 88 |
| SURFACING    | 82       | 88       | 88 |
| TIES         |          |          |    |
| UNDERCUTTING |          |          |    |
| RAIL         | 27-27    | 75S      |    |
| BAL. CLEAN   |          |          |    |
| TONNAGE(MGT) | 2.7      | 0.6      |    |
| T T SPEED    | 70/60/50 | 40/40/40 |    |

001

|              |          |
|--------------|----------|
| GRINDING     | 0021     |
| SURFACING    | 80E      |
| TIES         | 75       |
| UNDERCUTTING |          |
| RAIL         | 27-52    |
| BAL. CLEAN   | 75S      |
| TONNAGE(MGT) | 2.5      |
| T T SPEED    | 70/60/50 |

|              |          |          |
|--------------|----------|----------|
| GRINDING     | 0012     | 15/15/15 |
| SURFACING    | 80E      |          |
| TIES         | 75       | 92       |
| UNDERCUTTING |          |          |
| RAIL         | 27-52    | 27-52    |
| BAL. CLEAN   | 75S      | 75S      |
| TONNAGE(MGT) | 0.2      |          |
| T T SPEED    | 70/60/50 | 20/20/20 |

002

|              |          |
|--------------|----------|
| GRINDING     | 15/15/15 |
| SURFACING    | 78E      |
| TIES         | 75       |
| UNDERCUTTING |          |
| RAIL         | 27-52    |
| BAL. CLEAN   | 75S      |
| TONNAGE(MGT) | 0.5      |
| T T SPEED    | 15       |

003

FIBER OPTICS


VALUATION  
TOWN

WYOMING LONYO

W. DETROIT

V4011|V4020  
DETROIT

FACILITY



THIS PAGE INTENTIONALLY LEFT BLANK



|              |          |          |     |          |     |    |
|--------------|----------|----------|-----|----------|-----|----|
| GRINDING     |          |          |     | 80(2)    |     |    |
| SURFACING    | 82       | 79E      |     | 79       | 79E |    |
| TIES         |          |          |     |          |     |    |
| UNDERCUTTING |          |          |     |          |     |    |
| RAIL         |          |          |     | 32-79    |     |    |
| RAIL CLEAN   | 79L      |          | 81  |          |     | 81 |
| TONNAGE(MBT) |          |          | 1.4 |          |     |    |
| T SPEED      | 45/30/30 | 70/30/30 |     | 45/30/30 |     |    |

007

VARIABLE


VALUATION  
TOWN

V7351/V7350

GARY

BROADWAY

FACILITY



[illegible]

007

FIBER OPTICS

VALUATION  
TOWN

EAST GARY

V7350  
HOBART

WHEELER

FACILITY

DEG OF CURVE

HORIZ. ALIGNMENT

**SUPER ELEVATION**

VERT. ALIGNMENT

**GRADE**

16

50

17

37

007

50-3202 FORT WAYNE LINE

REV. 01/01/93

MP 430.00-MP 440.00

65  
Z

[illegible]

007

50/30/30 70/30/30

**ENTER OPTICS**

**V7350**

VALPARAISO

VALUATION  
TOWN

FACILITY

DEG OF CURVE

### HORIZ. ALIGNMENT

**SUPER ELEVATION**

VERT. ALIGNMENT

GRADE

91

29

|              |       |          |       |
|--------------|-------|----------|-------|
| GRINDING     | 52    | 50(1)    | 50(2) |
| SURFACING    |       | 86C      |       |
| TIES         |       | 86       |       |
| UNDERCUTTING |       |          |       |
| RAIL         | 33-51 | 33-59    | 43-59 |
| BAL CLEAN    |       | 86       |       |
| TONNAGE(MGT) |       | 0.1      |       |
| T Y SPEED    |       | 70/30/30 |       |

007

FIBER OPTICS

VALUATION  
TOWN

V7350

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE



|              |       |
|--------------|-------|
| GRINDING     | 65    |
| SURFACING    | 805   |
| TIES         | 77    |
| UNDERCUTTING |       |
| RAIL         | 31-40 |
| BAL CLEAN    | 585   |
| TONNAGE(MGT) | 0.1   |
| T Y SPEED    | 10    |

[illegible]

IND


007

**FIBER OPTICS**

VALUATION  
TOWN

V7350  
WANATAH

FACILITY



[illegible]

007

## FIBER OPTICS

v7350  
DAVIS

VALUATION  
TOWN

FACILITY

DEG OF CURVE

HORIZ. ALIGNMENT

**SUPER ELEVATION**

VERT. ALIGNMENT

**GRADE**

15

04

007

50-3102 FORT WAYNE LINE

REV. 01/01/93

MP 400.00-MP 410.00

69  
Z

50-3102 FORT WAYNE LINE REV. 01/01/93 MP 390.00 - MP 400.00 IN 70

|               |    |          |    |
|---------------|----|----------|----|
| GRINDING      |    | 82       |    |
| SURFACING     |    | 80       |    |
| TIES          | 77 |          | 80 |
| UNDERCUTTING  |    | 32-80    |    |
| RAIL          |    | 80       |    |
| BAL CLEAN     |    | 0.1      |    |
| TONNAGE (MGT) |    | 70730/30 |    |
| T SPEED       |    |          |    |

007

PRR/OPTICS

VALUATION  
TOWN

V7350

GROVERTOWN


DONALDSON

FACILITY

DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION

VERT. ALIGNMENT

GRADE



007

|              |       |    |          |    |       |       |
|--------------|-------|----|----------|----|-------|-------|
| GRINDING     | 82    | 59 | 850      | 85 | 85    |       |
| SURFACING    | 80    |    |          |    |       |       |
| TIES         | 80    |    |          |    |       |       |
| UNDERCUTTING | 32-60 |    | 33-55    |    | 33-55 | 33-60 |
| RAIL         |       |    |          |    |       |       |
| BAL. CLEAN   | 80    |    |          | 85 |       |       |
| TONNAGE(MGT) |       |    | 0.1      |    |       |       |
| TY SPEED     |       |    | 70/30/30 |    |       |       |

007

FIBER OPTICS

V7350

PLYMOUTH


VALUATION  
TOWN

FACILITY

DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION

VERT. ALIGNMENT

GRADE





[illegible]

007

## INTER OPTICS

VALUATION  
TOWN

I NWOOD

**v7350**

BOURBON

FACILITY

DEG OF CURVE

## HORIZ. ALIGNMENT

**SUPER ELEVATION**

VERT. ALIGNMENT

GRADE

5

HAWTHORNE RO

COMPTON CR.

WYMER CR

STOCKMAN RD

TSCHR ST-S. E

CENTER ST.  
BOURBON ST.  
MAIN ST. - SR  
HARRIS ST.

**S. BEECH RD**

007

02


1.00

04

20


|               |  |       |    |        |
|---------------|--|-------|----|--------|
| GRINDING      |  |       | 65 |        |
| SURFACING     |  | 80    |    | 79     |
| TIES          |  | 80    |    | 79     |
| UNDERCUTTING  |  |       |    |        |
| RAIL          |  | 33-50 |    | 33-48  |
| BAL. CLEAN    |  | 81    |    | 77 1/2 |
| TONNAGE (NET) |  | 0.1   |    |        |
| SEED          |  | 10    |    |        |

AT WOOD <sup>v7350</sup>



[illegible]

007





|               |       |
|---------------|-------|
| GRINDING      | 59    |
| SURFACING     | 88    |
| TIES          | 88    |
| UNDERCUTTING  |       |
| RAIL          | 31-40 |
| BAL CLEAN     |       |
| TONNAGE (MGT) | 0.1   |
| TY SPEED      | 10    |

[illegible]

IND

007

FIBER OPTICS

VALUATION  
TOWN

COLUMBIA CITY

**V7350**

COESSE

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

**SUPER ELEVATION**

VERT. ALIGNMENT


GRADE \_\_\_\_\_



IND  
007

[illegible]

FIBER OPTICS



|              |     |       |     |       |       |
|--------------|-----|-------|-----|-------|-------|
| GRINDING     |     |       | 59  |       | 65    |
| SURFACING    | 77E |       | 79E |       |       |
| TIES         | 77I |       | 89  |       |       |
| UNDERCUTTING |     |       |     |       |       |
| RAIL         |     | 33-50 |     | 33-49 | 31-43 |
| BAL. CLEAN   |     |       | 81  |       | 80L   |
| TONNAGE(MGT) |     |       | 0.3 |       |       |
| T. SPEED     |     |       | 10  |       |       |

|              |          |  |    |          |  |
|--------------|----------|--|----|----------|--|
| GRINDING     |          |  | 59 |          |  |
| SURFACING    |          |  | 89 |          |  |
| TIES         |          |  | 85 |          |  |
| UNDERCUTTING |          |  |    |          |  |
| RAIL         | 33-52    |  |    | 33-52    |  |
| BAL. CLEAN   |          |  | 85 |          |  |
| TONNAGE(MGT) | 3.8      |  |    | 4.4      |  |
| T. SPEED     | 30/30/30 |  |    | 70/50/30 |  |

YRD

007

FIBER OPTICS


VALUATION  
TOWN

FORT WAYNE

V7348

LINKER

FACILITY




DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE




007



50-8431 DANVILLE SEC.


STEWART.

DEG OF CURVE  
 HORIZ. ALIGNMENT  
 SUPER ELEVATION  
  
 VERT. ALIGNMENT  
GRADE



007

**FIBER OPTICS**



[illegible]


007

## FIBER OPTICS

**v2500**

VALUATION  
TOWN

FACILITY

81  
Z  
—

MP 80.00 -MP 90.00

REV. 01/01/93

50-8431 DANVILLE SEC.

|               |       |
|---------------|-------|
| GRINDING      |       |
| SURFACING     | 80E   |
| YES           | 77    |
| UNDERCUTTING  |       |
| RAIL          | 05-28 |
| BAL. CLEAN    | 85    |
| TONNAGE (MGT) | 7.6   |
| TY SPEED      | 25    |

007

FIBER OPTICS

VALUATION  
TOWN

V2500

FREE

FACILITY


DEG. OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT


GRADE



007


[illegible]

007



VERT. ALIGNMENT  
GRADE

1



007

007


V2500  
ENOS




86  
Z  
—

FACILITY

FIBER OPTICS



007



|               |       |
|---------------|-------|
| GRINDING      | 90    |
| SURFACING     | 86C   |
| TIES          | 83    |
| UNDERCUTTING  | 52-75 |
| RAIL          | 19    |
| BAL. CLEAN    | 45/45 |
| TONNAGE (MGT) |       |
| T T SPEED     |       |

007

FIBER OPTICS

VALUATION  
TOWN

BELSHAW

N. HAYDEN

V2500

COOK

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION


VERT. ALIGNMENT

GRADE



007





|               |        |  |
|---------------|--------|--|
| GRINDING      | 90     |  |
| SURFACING     | 83     |  |
| TIES          | 83     |  |
| UNDERCUTTING  |        |  |
| RAIL          | 277.79 |  |
| BAL. CLEAN    | 85     |  |
| TONNAGE (MGT) | 0.7    |  |
| T. SPEED      | 30/30  |  |

|               |        |     |      |        |
|---------------|--------|-----|------|--------|
| GRINDING      | 90     | 007 | 1002 | 90     |
| SURFACING     | 83     |     |      | 83     |
| TIES          | 83     |     |      | 83     |
| UNDERCUTTING  |        |     |      |        |
| RAIL          | 277.79 |     |      | 277.79 |
| BAL. CLEAN    | 85     |     |      | 85     |
| TONNAGE (MGT) | 0.7    |     |      | 0.7    |
| T. SPEED      | 30/30  |     |      | 30/30  |

001

002

FIBER OPTICS

VALUATION  
TOWN

V2500

HIGHLAND

FACILITY


DEG. OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE

001  
002

IMB RR

VALUATION  
TOWN

MORONT S      HENNEPIN      V2480      GRANVILLE

[illegible]

|              |                         |
|--------------|-------------------------|
| GRINDING     |                         |
| SURFACING    | 86                      |
| TIES         | 87C                     |
| UNDERCUTTING | 85                      |
| RAIL         | 21F85 31F85 40F85 31F85 |
| BAL. CLEAN   |                         |
| TONNAGE(MGT) | 3.0                     |
| T Y SPEED    | 30                      |

007

FIBER OPTICS

VALUATION  
TOWN

V2460  
MCNABB


PRISCILLA

FACILITY

DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION

VERT. ALIGNMENT

GRADE



007

|               |     |
|---------------|-----|
| GRINDING      |     |
| SURFACING     |     |
| TIES          | 88  |
| UNDERCUTTING  | 87  |
| RAIL          | 85  |
| BAL. CLEAN    |     |
| TONNAGE (MGY) | 3.0 |
| Y. SPEED      | 30  |

007

FIBER OPTICS

VALUATION  
TOWN

PRISCILLA

LOSTANT

V2480

MILLA

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE



[illegible]

FIBER OPTICS

VALUATION  
TOWN

ALTMAR

KANGLEY

V2480

VUL ÇAN

STREATOR

FACILITY

DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE

50-3123  
STREATOR R. T.  
STREATOR SEC

REV. 01/01/93

|    |        |     |        |
|----|--------|-----|--------|
| MP | 150.00 | -MP | 150.60 |
|    | 150.60 |     | 160.00 |

93  
11

94

IL

140.00 149.30  
MP -MP 150.00

REV. 01/01/93

50-3123 STREATOR SEC  
STREATOR R.T.


VALUATION  
TOWN

FACILITY

DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION

VERT. ALIGNMENT

GRADE





FIBER OPTICS

MISSAL

V2480

BUDD






|              |     |
|--------------|-----|
| GRINDING     | 8.6 |
| SURFACING    | 8.7 |
| TIES         | 67  |
| UNDERCUTTING | 00  |
| RAIL         | 00  |
| BAL CLEAN    | 0.5 |
| TONNAGE(MGT) | 10  |
| T T SPEED    | 10  |


|              |     |
|--------------|-----|
| GRINDING     | 8.6 |
| SURFACING    | 8.7 |
| TIES         | 67  |
| UNDERCUTTING | 00  |
| RAIL         | 00  |
| BAL CLEAN    | 0.5 |
| TONNAGE(MGT) | 10  |
| T T SPEED    | 10  |



REDDICK



|              |       |
|--------------|-------|
| GRINDING     |       |
| SURFACING    |       |
| TIES         |       |
| UNDERCUTTING |       |
| RAIL         | 32-8V |
| BAL. CLEAN   | 32-8V |
| TONNAGE (MG) | 10.2  |
| T SPEED      | 45    |



VALUATION  
TOWN

FACILITY

DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE

|               |    |      |     |     |    |
|---------------|----|------|-----|-----|----|
| GRINDING      | 84 | 87   | 87C | 90  | 86 |
| SURFACING     |    |      |     |     |    |
| TIES          |    |      |     |     |    |
| UNDERCUTTING  |    |      |     |     |    |
| RAIL          |    |      |     |     |    |
| BAL CLEAN     |    |      |     |     |    |
| TONNAGE (MGT) |    |      |     |     |    |
| T SPEED       | 45 | 10.2 | 25  | 120 | 25 |


FIBER OPTICS

LEHIGH

V2480  
GREENWICH

KANKAKEE

HOBBIE AVE



007

007



50-3123 KANKAKEE SEC. KANKAKEE SEC. REV. 01/01/93 MP 80.00 -MP 82.70 IN/ IL 100

VALUATION  
TOWN

FACILITY

DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION

VERT. ALIGNMENT

GRADE


|               |  |
|---------------|--|
| GRINDING      |  |
| SURFACING     |  |
| TIES          |  |
| UNDERCUTTING  |  |
| RAIL          |  |
| BAL. CLEAN    |  |
| TONNAGE (MGT) |  |
| T. SPEED      |  |

007

FIBER OPTICS

EDGETOWN

IL 11 N  
V2460 V2470



007

[illegible]

80 79 78 77 76 75 74 73 72 71 70

5280 CP SCHNEIDER 5280 5280 5280 5280 5280 5280 5280 5280 5280 5280

79.10 OH 78.81 78.62 78.50 77.64 76.64 UG 76.01 75.16 73.37 73.12 72.60 UG 71.35 UG 70.46 70.10 70.00

KANKAKEE LN.

DANV. SEC.

US41 ACKERMAN ST CLINE RD COLFAX RD FULLERDRAIN WHITCOMB RD SR 55 CROWN POINT S TOWNSHIP RD KANKAKEE RV CAMERN DITH

1000

01 02 03 01 07 03 10 16 01 04

50-3123  
NIPSCO SEC.  
KANKAKEE SEC.

007

|              |        |        |
|--------------|--------|--------|
| GRINDING     | 86     | 71     |
| SURFACING    | 90     | 70     |
| TIES         | 90     | 70     |
| UNDERCUTTING | 52F 14 | 12F 82 |
| RAIL         | 85     | 05-29  |
| BAL CLEAN    | 4.0    |        |
| TONNAGE (MG) | 30     |        |
| TY SPEED     |        |        |

007

FIBER OPTICS

VALUATION  
TOWN


WHEATFIELD

V2470

FACILITY

DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION

VERT. ALIGNMENT  
GRADE



007




|              |       |
|--------------|-------|
| GRINDING     | 91    |
| SURFACING    | 87C   |
| TIES         | 87    |
| UNDERCUTTING | 27F77 |
| RAIL CLEAN   | 87    |
| TONNAGE(MGT) | 13.07 |
| T SPEED      | 30    |

007


FIBER OPTICS

VALUATION  
TOWNV2150 V2140  
**ELKHART**

FACILITY



E/W SEC.



007

DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

4000

VERT. ALIGNMENT

GRADE

.55 .88 .03 .11 .03

[illegible]

FIBER OPTICS

VALUATION  
TOWN

ELKHART

MOREHOUSE

BRI STOL


FACILITY

DEG OF CURVE

HORIZ. ALIGNMENT

**SUPER ELEVATION**

VERT. ALIGNMENT

**GRADE**

[illegible]

|              |  |       |    |
|--------------|--|-------|----|
| GRINDING     |  |       |    |
| SURFACING    |  | 87C   |    |
| UNDERCUTTING |  | 87    |    |
| RAIL         |  | 27-41 |    |
| RAIL CLEAN   |  |       | 92 |
| TONNAGE(MGT) |  | 1.7   |    |
| Y SPEED      |  | 15    |    |


## FIBER OPTICS


VALUATION  
TOWN

VISTULA

|       |    |   |
|-------|----|---|
| MI    | IN | N |
| Y2140 |    |   |

WHITE PIGEON




[illegible]

|              |        |
|--------------|--------|
| GRINDING     | 84     |
| SURFACING    | 87C    |
| TIES         | 87     |
| UNDERCUTTING |        |
| RAIL         | 12F 78 |
| RAIL CLEAN   | 86     |
| TONNAGE(MGT) | 12.0   |
| TY SPEED     | CX0    |

FIBER OPTICS

V2450  
THREE RIVERS

FACILITY



|               | 84   | 91        | 84 | 89   | 84 | 84 |
|---------------|------|-----------|----|------|----|----|
| GRINDING      |      |           |    |      |    |    |
| SURFACING     |      | 87C<br>87 |    | 89   |    |    |
| UNDERCUTTING  |      |           |    |      |    |    |
| RAIL          |      |           |    | 86   |    |    |
| BALANCE CLEAN |      |           |    | 12.0 |    |    |
| TONNAGE(MT)   |      |           |    | 40   |    |    |
| TRUCK SPEED   | (18) |           |    |      |    |    |

[illegible]

007

1

50-5341  
KALAMAZOO BR.  
KALAMAZOO SEC.

|               |            |            |
|---------------|------------|------------|
| GRINDING      | 84         | 91         |
| SURFACING     | 89         | 89         |
| TIES          | 89         | 89         |
| UNDERCUTTING  |            |            |
| RAIL          | 12' 7 1/2" | 32' 7 1/2" |
| GAL CLEAN     | 86         | 92         |
| TONNAGE (MGT) | 12.0       |            |
| T SPEED       | 40         |            |

007

FIBER OPTICS

VALUATION  
TOWN

SCHOOLCRAFT

OAKLAND

V2450

PORTAGE

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE



007

|               |         |
|---------------|---------|
| GRINDING      | 91      |
| SURFACING     | 89      |
| TIES          | 89      |
| UNDERCUTTING  | 32 F 78 |
| RAIL          | 82      |
| BAL CLEAN     | 12.0    |
| TONNAGE (MGT) | 30      |
| T T SPEED     | 40      |

007

|               |     |
|---------------|-----|
| GRINDING      | 89  |
| SURFACING     | 89  |
| TIES          | 89  |
| UNDERCUTTING  |     |
| RAIL          |     |
| BAL CLEAN     | 0.5 |
| TONNAGE (MGT) | 10  |
| T T SPEED     |     |

SDG


FIBER OPTICS

VALUATION  
TOWN

V7450  
CORK

KALAMAZOO

FACILITY



DEG OF CURVE

HORIZ. ALIGNMENT


SUPER ELEVATION


VERT. ALIGNMENT


GRADE

59 1.05 35 39 00








007

007



|               |        |
|---------------|--------|
| GRINDING      |        |
| SURFACING     |        |
| TIES          | 88     |
| UNDERCUTTING  | 84     |
| RAIL          | 271.85 |
| BAL. CLEAN    | 84     |
| TONNAGE (MGT) | 1.7    |
| T. SPEED      | 40     |

007

FIBER OPTICS

VALUATION  
TOWN

FACILITY

DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE

ROSS

STEWART

CARLISLE

V7265

221  
905278 222  
5278 915280 223  
5280 925280 224  
5280 935280 225  
5280 945280 226  
5280 955280 227  
5280 965280 228  
5280 975280 229  
5280 985280 230  
5280 995280 231  
5280 100

100TH ST

92ND ST

BUCK CRK

ALLES RD

84TH ST

CLYDE PARK S

76TH ST

US 131

BUCK CRK

54TH ST

WATER WAY

50TH ST

44TH ST

COUNTY

36TH ST

32ND ST

28 ST

007

2

2

1

0

1/2

0

0

0

1

44

15

16

21

00

25

06

58

70

22

25

00

00

20

46

26

85

|               |       |
|---------------|-------|
| GRINDING      | 85    |
| SURFACING     | 85    |
| TIES          | 84    |
| UNDERCUTTING  |       |
| RAIL          | 12.45 |
| RAIL CLEAN    | 84    |
| TORNADO (WOT) | 1.7   |
| SPED          | 40 10 |


007

FIBER OPTICS

VALUATION  
TOWN

V7265/V7266

FACILITY




DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE





FIBER OPTICS

V7170

VALUATION  
TOWN

FACILITY







120  
IN

MP-1.70 -MP 3.50

REV. 01/01/92

50-3136 FOURTH STREET I.T.

|               |     |       |     |
|---------------|-----|-------|-----|
| GRINDING      |     | 007   | 007 |
| SURFACING     |     |       |     |
| TIES          | 66  |       |     |
| UNDERCUTTING  |     | 05-50 |     |
| RAIL          |     |       |     |
| RAIL CLEAN    |     |       |     |
| TONNAGE (MGT) | 0.2 |       | 0.2 |
| T T SPEED     | 10  |       | 10  |

007

FIBER OPTICS

VALUATION  
TOWNV2400  
FORT WAYNE

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE




|               |     |
|---------------|-----|
| GRINDING      |     |
| SURFACING     |     |
| TIES          |     |
| UNDERCUTTING  |     |
| RAIL          |     |
| RAIL CLEAN    |     |
| TONNAGE (MGT) | 0.8 |
| SPEED         | 10  |

007

FIBER OPTICS

VALUATION V2480  
TOWN KANKAKEE

FACILITY



[illegible]

007

## FIBER OPTICS

**V7250**

**FORT WAYNE**

VALUATION  
TOWN

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

**SUPER ELEVATION**

VERT. ALIGNMENT

**GRADE**



|               |       |
|---------------|-------|
| GRINDING      |       |
| SURFACING     | 714   |
| TIES          | 71    |
| UNDERCUTTING  |       |
| RAIL CLEAN    | 00028 |
| TORNADE (WST) | 0.1   |
| T SPEED       | 10    |


007

FIBER OPTICS

VALUATION  
TOWN

V7250  
KENDALLVILLE

FACILITY



007

DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION



VERT. ALIGNMENT

GRADE

p07

| 63    | 72  | 71    | 70    |
|-------|-----|-------|-------|
| 27F74 | 77E | 27F74 | 30-74 |
| 1.0   | 1.0 | 0.1   |       |

007



|               |             |
|---------------|-------------|
| GRINDING      |             |
| SURFACING     | 761         |
| TIES          | 76          |
| UNDERCUTTING  |             |
| RAIL          | 30-66 31C53 |
| RAIL CLEAN    | 761         |
| TONNAGE (MGT) | 1.0         |
| TY SPEED      | 10          |

007

FIBER OPTICS

VALUATION  
TOWN

V7175

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT


SUPER ELEVATION

VERT. ALIGNMENT

GRADE



007

[illegible]

|               |    |
|---------------|----|
| GRINDING      |    |
| SURFACING     |    |
| TIES          |    |
| UNDERCUTTING  |    |
| RAIL          |    |
| BAL. CLEAN    |    |
| TONNAGE (MGY) |    |
| Y SPEED       | 10 |

007

FIBER OPTICS

VALUATION  
TOWN

V7148

FACILITY

280

2112

279.87

007

007

AUSTIN AVE

DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE

02




|               |  |    |       |    |       |       |
|---------------|--|----|-------|----|-------|-------|
| GRINDING      |  | 91 |       | 90 |       | 91    |
| SURFACING     |  | 89 |       |    |       | 92    |
| FILES         |  | 85 |       |    |       | 92    |
| UNDERCUTTING  |  |    |       |    |       |       |
| RAIL          |  |    | 27F83 |    | 27F83 | 27F83 |
| RAIL CLEAN    |  | 82 |       | 82 |       | 87    |
| TONNAGE (CMT) |  |    | 1.0   |    |       |       |
| FEED SPEED    |  |    | 0     |    |       |       |

**INTERPOLATION**

VALUATION  
TOWN

V6111  
BRIGHTON PARK

FACILITY



|               |       |       |     |
|---------------|-------|-------|-----|
| GRINDING      | 85    |       |     |
| SURFACING     |       | 86C   |     |
| TIES          |       | 86    |     |
| UNDERCUTTING  |       |       |     |
| RAIL          | 27F68 | 05-27 |     |
| RAIL CLEAN    | 885   | 80L   | 885 |
| TONNAGE (MGT) |       | 0.1   |     |
| TY SPEED      |       | 10    |     |

007

FIBER OPTICS

VALUATION  
TOWN

V2470

SOUTH BEND

FACILITY

2  
3698

5280 2640  
OLIVER YARD

2.7

OH 01.02  
OH 01.01  
1.00  
5  
75  
60

SS/S

CHICAGO LINE

007

SAMPLE  
OLIVE  
FORD ST  
WALNUT ST  
ARNOLD ST

DEG OF CURVE

1°30'

HORIZ. ALIGNMENT

SUPER ELEVATION

0

0

VERT. ALIGNMENT

GRADE

.01 .10 .01 .10

129  
IN

-MP 2.70

MP .50


REV. 01/01/92

50-3223 OLIVERS I.T.

|               |     |
|---------------|-----|
| GRINDING      |     |
| SURFACING     | 86  |
| TIES          | 86  |
| UNDERCUTTING  |     |
| RAIL          | 00  |
| RAIL CLEAN    |     |
| TONNAGE (WGT) | 0.1 |
| Y SPEED       | 10  |

007


FIBER OPTICS



V7168

VALUATION  
TOWN

FACILITY



007

DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE

|               |       |
|---------------|-------|
| GRINDING      | 91    |
| SURFACING     | 87C   |
| TIES          | 83    |
| UNDERCUTTING  | 27F78 |
| RAIL          | 87    |
| BAL. CLEAN    | 17.5  |
| TONNAGE (MGT) | 40    |
| SPEED         | 40    |

001

|               |       |       |       |       |       |
|---------------|-------|-------|-------|-------|-------|
| GRINDING      | 91    | 002   | 0071  | 91    | 87C   |
| SURFACING     | 87C   | 90    | 83    | 83    | 27F78 |
| TIES          | 83    | 27F78 | 27F78 | 27F78 | 87    |
| UNDERCUTTING  | 27F78 | 27F78 | 27F78 | 27F78 | 87    |
| RAIL          | 87    | 40    | 37.6  | 35    |       |
| BAL. CLEAN    | 20.1  |       |       |       |       |
| TONNAGE (MGT) | 40    |       |       |       |       |
| SPEED         | 40    |       |       |       |       |

007

FIBER OPTICS

VALUATION  
TOWN

IVANHOE

GARY V4411

LAKE STATION

FACILITY


DEG. OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE



|              |  |  |  |  |     |      |  |  |      |     |
|--------------|--|--|--|--|-----|------|--|--|------|-----|
| GRINDING     |  |  |  |  | 007 | 0011 |  |  | 0011 | 007 |
| SURFACING    |  |  |  |  |     |      |  |  |      |     |
| TIES         |  |  |  |  |     |      |  |  |      |     |
| UNDERCUTTING |  |  |  |  |     |      |  |  |      |     |
| RAIL         |  |  |  |  |     |      |  |  |      |     |
| RAIL CLEAN   |  |  |  |  |     |      |  |  |      |     |
| TONNAGE (MG) |  |  |  |  |     |      |  |  |      |     |
| T T SPEED    |  |  |  |  |     |      |  |  |      |     |

007

|              |  |  |  |  |  |  |  |  |  |  |
|--------------|--|--|--|--|--|--|--|--|--|--|
| GRINDING     |  |  |  |  |  |  |  |  |  |  |
| SURFACING    |  |  |  |  |  |  |  |  |  |  |
| TIES         |  |  |  |  |  |  |  |  |  |  |
| UNDERCUTTING |  |  |  |  |  |  |  |  |  |  |
| RAIL         |  |  |  |  |  |  |  |  |  |  |
| RAIL CLEAN   |  |  |  |  |  |  |  |  |  |  |
| TONNAGE (MG) |  |  |  |  |  |  |  |  |  |  |
| T T SPEED    |  |  |  |  |  |  |  |  |  |  |

002

FIBER OPTICS

VALUATION  
TOWN

EAST GARY

CHRISTMAN

V4411

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE



|              |       |
|--------------|-------|
| GRINDING     |       |
| SURFACING    |       |
| YES          | 80    |
| UNDERCUTTING |       |
| RATE         | 05-37 |
| BAL CLEAN    |       |
| TONNAGE(MGT) | 0.5   |
| TY SPEED     | 10    |

007


FIBER OPTICS

VALUATION  
TOWN

V4521

CHICAGO HEIGHTS

FACILITY



DEG OF CURVE

HORIZ. ALIGNMENT


SUPER ELEVATION

VERT. ALIGNMENT

GRADE

[illegible]

007



The drawing is a plan view of a road layout for Pleasant Valley, Elkhart. It shows a main road with several cross streets. The main road is labeled 'TWIN BRANCH' and 'KALAMAZOO BR'. The cross streets are labeled: BITTERSWEET, CEDAR TR, BIRCH RD, APPLE RD, ASH RD, CRWFRD DCH, CR 91 X, COUNTY RD 3, CHRISTANA C, ST JOSEPH R, N. WEST BLVD, ELKHART R, HEAD MAIN ST, MICHIGAN ST, CASSOPOLIS CHRISTANA, EAST BEARDSL, ELKHART AVE, EAST JACKSON, PRAIRIE ST, DIVISION ST, MONROE ST, and PRAIRIE ST. The drawing includes various symbols for curves, elevations, and other features. The top of the drawing is labeled 'FIBER OPTICS' and 'VALUATION TOWN'. The right side is labeled 'PLEASANT VALLEY' and 'ELKHART'. The bottom right corner has the text 'V2150 | V5460' and 'V2150'.

**VALUATION TOWN**

**PLEASANT VALLEY**

**ELKHART**

V2150 | V5460

V2150

**FACILITY**

**TWIN BRANCH**

4224 9 5280 8 5282 7 5278 6 5279 5 5281 4 5272 3 5288 2 3904 1 4662 0

9.20 8.95 8.76 8.06 7.47 6.73 6.23 UG 05.87 5.23 4.23 UG 03.17 UG 02.92 2.65 UG 02.46 UG 02.23 2.12 2.00 1.79 UG 02.04 1.50 1.29 .70 .45 .24 .12 .01

9.8

BITTERSWEET CEDAR TR BIRCH RD APPLE RD ASH RD CRWFRD DCH CR 91 X COUNTY RD 3 CHRISTANA C ST JOSEPH R N. WEST BLVD ELKHART R HEAD MAIN ST MICHIGAN ST CASSOPOLIS CHRISTANA EAST BEARDSL ELKHART AVE EAST JACKSON PRAIRIE ST DIVISION ST MONROE ST PRAIRIE ST

1° 0' 1° 0' 3° 0' 11° 15' 2° 0' 2° 40' 2° 8' 12° 0'

0 0 0 0 0 0

VERT. ALIGNMENT

GRADE

47.60 23.06 16.00 12.00 25.10 10.00 00.30 31.00 41.17

KALAMAZOO BR



|               |       |
|---------------|-------|
| GRINDING      | 90    |
| SURFACING     | 89    |
| TIES          | 89    |
| UNDERCUTTING  | 87    |
| RAIL          | 31F89 |
| BAL. CLEAN    | 82    |
| TONNAGE (MGY) | 0.2   |
| Y SPEED       | 10    |


007

FIBER OPTICS

VALUATION  
TOWN


HEGEWISCH HUTCHINSON V7256 MCREYNOLDS

FACILITY



|               |     |
|---------------|-----|
| GRINDING      |     |
| SURFACING     | 88C |
| TIES          | 88  |
| UNDERCUTTING  |     |
| RAIL          |     |
| BAL. CLEAN    |     |
| TONNAGE (MGT) | 0.1 |
| Y SPEED       | 10  |

007



|              |          |          |                  |          |          |
|--------------|----------|----------|------------------|----------|----------|
| GRINDING     | 80(4)    | 51       | 51               | 82       |          |
| SURFACING    |          | 90       | 90               | 85       |          |
| TIES         |          |          | 90               | 85       |          |
| UNDERCUTTING |          | 30C-50   | 30C-42           | 30C50    | 31F66    |
| RAIL CLEAN   |          |          |                  | 0.1      | 31F67    |
| TONNAGE(CY)  |          | 30/25/25 |                  | 30/25/25 | 60/25/25 |
| TY SPEED     | 20/20/20 |          | 40/25/2525/25/25 |          | 30/25/25 |

FIBER OPTICS

VALUATION  
TOWN

WOLF LAKE V7256

CALUMET CITY

LANSING

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE




007

**V6210**

VALUATION  
TOWN

**HEGEWISCH**





|               |     |
|---------------|-----|
| GRINDING      |     |
| SURFACING     |     |
| TIES          |     |
| UNDERCUTTING  |     |
| RAIL          |     |
| RAIL CLEAN    |     |
| TONNAGE (MGY) | 0.1 |
| Y SPEED       | 15  |


007

FIBER OPTICS

VALUATION  
TOWN

V7253  
HEGEWISCH

FACILITY



142  
 IN  
 1.60  
 -MP  
 .42  
 MP  
 REV. 01/01/92  
 50-3255 R OF W NO. 3

|               |     |
|---------------|-----|
| GRINDING      |     |
| SURFACING     |     |
| TIES          |     |
| UNDERCUTTING  |     |
| RAIL          |     |
| BAL. CLEAN    |     |
| TONNAGE (MGT) | 0.1 |
| SPEED         | 10  |


007

FIBER OPTICS

VALUATION  
TOWN

V7253

FACILITY



007

DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE

.06

|               |       |     |       |
|---------------|-------|-----|-------|
| GRINDING      |       |     |       |
| SURFACING     |       | 80F |       |
| TIES          |       | 80  |       |
| UNDERCUTTING  |       |     |       |
| RAIL          | 33-48 |     | 33-47 |
| BAL. CLEAN    |       | 82  |       |
| TONNAGE (MGY) |       | 0.1 |       |
| T. SPEED      |       | 10  |       |

SD1

|               |       |     |       |
|---------------|-------|-----|-------|
| GRINDING      |       |     |       |
| SURFACING     |       | 82  |       |
| TIES          | 79    |     | 80    |
| UNDERCUTTING  | 79PI  |     | 80PI  |
| RAIL          | 31-31 |     | 33-48 |
| BAL. CLEAN    |       | 82  |       |
| TONNAGE (MGY) |       | 1.0 |       |
| T. SPEED      |       | 25  |       |

007

FIBER OPTICS

VALUATION  
TOWNV7295  
WOODVILLE

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE

SD1  
007



[illegible]

FIBER OPTICS


VALUATION  
TOWN

**TOUSSAINT**

## W I C H T S

**LATCHA**

V7295 | V7296



|               |     |       |       |  |     |
|---------------|-----|-------|-------|--|-----|
|               | SD1 |       |       |  | YD2 |
| GRINDING      |     |       |       |  |     |
| SURFACING     | 81  |       | 85    |  |     |
| TIES          | 80  |       | 85    |  |     |
| UNDERCUTTING  |     |       |       |  |     |
| RAIL          |     | 30-41 | 30-31 |  |     |
| RAIL CLEAN    |     |       | 82    |  |     |
| TONNAGE (MGY) | 0.1 |       | 0.1   |  |     |
| T SPEED       | 10  |       | 10    |  |     |

|               |       |       |       |     |
|---------------|-------|-------|-------|-----|
|               | 007   | YD1   |       | YD1 |
| GRINDING      |       |       |       |     |
| SURFACING     | 81    |       | 82    |     |
| TIES          | 80    |       | 80    |     |
| UNDERCUTTING  |       |       |       |     |
| RAIL          | 30-36 | 30-36 | 30-31 |     |
| RAIL CLEAN    | 82    |       | 82    |     |
| TONNAGE (MGY) | 1.0   |       | 0.1   |     |
| T SPEED       | 25    |       | 10    |     |

|  |       |  |  |
|--|-------|--|--|
|  | YD1   |  |  |
|  |       |  |  |
|  | 83    |  |  |
|  | 83    |  |  |
|  |       |  |  |
|  | 30-31 |  |  |
|  |       |  |  |
|  | 0.1   |  |  |
|  | 10    |  |  |

|  |       |  |     |
|--|-------|--|-----|
|  | YD2   |  |     |
|  |       |  |     |
|  | 59J   |  |     |
|  |       |  |     |
|  | 30-45 |  | YD2 |
|  |       |  |     |
|  | 0.1   |  |     |
|  | 10    |  |     |

|  |       |     |
|--|-------|-----|
|  | YD1   | YD1 |
|  |       |     |
|  | 57H   |     |
|  |       |     |
|  | 30-36 | YD1 |
|  |       |     |
|  | 0.1   |     |
|  | 10    |     |

FIBER OPTICS

VALUATION  
TOWN

WALBRIDGE

ANDRUS ROAD

OLIVE

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE



|               |       |       |    |  |  |
|---------------|-------|-------|----|--|--|
| GRINDING      | 89    |       |    |  |  |
| SURFACING     | 91    |       |    |  |  |
| UNDERCUTTING  | 40-71 | 32-87 |    |  |  |
| RAIL          | 89    |       |    |  |  |
| BAL. CLEAN    | 22.3  |       |    |  |  |
| TONNAGE (WGT) | 50    | 30    | 15 |  |  |
| SPEED         |       |       |    |  |  |

007

FIBER OPTICS


VALUATION  
TOWN

LIME CITY

V3020|V3010

TOLEDO

FACILITY



007

|               |   |      |
|---------------|---|------|
| GRINDING      | 1 | 59   |
| SURFACING     |   | 55   |
| TIES          |   |      |
| UNDERCUTTING  |   |      |
| RAIL          |   |      |
| BAL. CLEAN    |   |      |
| TONNAGE (MGT) |   | 12.9 |
| SPEED         |   | 20   |

007

FIBER OPTICS

VALUATION  
TOWN


V4224

FACILITY

CP 286

287.57  
287.32

287.8 286.9



007

DEG OF CURVE

2° 15' 4° 0' 4° 0' 8° 0'

HORIZ. ALIGNMENT



SUPER ELEVATION


0 0 1

VERT. ALIGNMENT




GRADE

1.10 15.91



|              |       |       |        |       |       |      |
|--------------|-------|-------|--------|-------|-------|------|
| GRINDING     | 85    |       |        |       |       | 88   |
| SURFACING    | 89    |       |        | 90    |       | 90   |
| TIES         |       | 89    |        |       |       | 90   |
| UNDERCUTTING |       |       |        |       |       |      |
| RAIL CLEAN   | 11F78 | 12F78 | 132-88 | 27F77 | 27F77 |      |
| TONNAGE(MGT) | 685   | 2.0   | 81     | 44.6  | 90    | 35.1 |
| SPEED        |       | 10    |        | 20    |       |      |

007



150  
MI

421.30

MP 420.00-MP

REV. 01/01/92

50-3634 QUINCY SEC.

|              |             |
|--------------|-------------|
| GRINDING     |             |
| SURFACING    | 85          |
| TIES         | 85          |
| UNDERCUTTING | 05-28 05-25 |
| RAIL CLEAN   |             |
| ONNAGE (MG)  | 0.3         |
| Y SPEED      | 10          |


007

FIBER OPTICS

VALUATION  
TOWN

V2130  
WHITE PIGEON

FACILITY



007



152

MI

410.00

MP 406.80-MP

REV. 01/01/92

50-3634 QUINCY SEC.

|               |       |       |      |
|---------------|-------|-------|------|
| GRINDING      |       |       |      |
| SURFACING     | 85    |       |      |
| TIES          | 85    |       | 805T |
| UNDERCUTTING  |       |       |      |
| RAIL          | 05-19 | 05-18 |      |
| BAL. CLEAN    |       |       |      |
| TONNAGE (WGT) | 0.3   |       |      |
| Y. SPEED      | 25    | 10    |      |


007


FIBER OPTICS

V2130

VALUATION  
TOWN

FACILITY



007

|                |        |
|----------------|--------|
| GRINDING       |        |
| SURFACING      | 82     |
| TIES           | 82     |
| UNDERCUTTING   |        |
| RAIL           | 27-55R |
| BAL. CLEAN     |        |
| TONNAGE (MGTS) | 0.1    |
| SPEED          | 10     |

007

FIBER OPTICS

VALUATION  
TOWN

V2080

FACILITY

300

3693

AIR  
299.47  
299.37

299.3



007

TO AIRLINE

PARKSIDE BLV  
NEBRASKA AVE

DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE

1° 0'

0

.00

|               |         |    |
|---------------|---------|----|
| GRINDING      |         | 86 |
| SURFACING     |         |    |
| TIES          |         |    |
| UNDERCUTTING  |         |    |
| RAIL          | 1/2 F&S |    |
| BAL. CLEAN    |         |    |
| TONNAGE (MGT) | 1.7     |    |
| T SPEED       | 10      |    |

007

FIBER OPTICS

VALUATION  
TOWN

V7266

4752

4752

FACILITY

106.80

106.9 106.0



007


FISHER BODY

TURNER RD

DEG OF CURVE

1838 2° 0'

HORIZ. ALIGNMENT



SUPER ELEVATION

0 0

VERT. ALIGNMENT

GRADE

19

155  
MI

106.90

MP 106.00-MP

REV. 01/01/92

50-5338 COMSTOCK I.T.

156  
IN

MP 57.50  
-MP 55.40

REV. 01/01/92

50-3643 MARION BR.

|               |       |
|---------------|-------|
| GRINDING      | 89    |
| SURFACING     | 85    |
| TIRES         | 85    |
| UNDERCUTTING  | 85    |
| RAIL          | 27F73 |
| BAL. CLEAN    | 89    |
| TONNAGE (MGT) | 13.2  |
| TY SPEED      | 20    |

007

10

FIBER OPTICS

VALUATION  
TOWN


YOST

V5480

GOSHEN

FACILITY

INPLS. - DBN.  
57.5



DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE

.13 .03 .07

|               |       |        |     |        |
|---------------|-------|--------|-----|--------|
| GRINDING      |       |        | 001 | 001    |
| SURFACING     | 87    |        |     |        |
| TIES          | 83    |        |     |        |
| UNDERCUTTING  |       | CSX RR |     | CSX RR |
| RAIL          | 27F85 |        |     |        |
| BAL. CLEAN    | 82    |        |     |        |
| TONNAGE (MGY) |       | 2.1    |     | 2.1    |
| T. SPEED      |       | 20     |     | 20     |

|               |    |        |  |  |
|---------------|----|--------|--|--|
| GRINDING      |    |        |  |  |
| SURFACING     | 87 |        |  |  |
| TIES          | 83 |        |  |  |
| UNDERCUTTING  |    | CSX RR |  |  |
| RAIL          |    |        |  |  |
| BAL. CLEAN    |    |        |  |  |
| TONNAGE (MGY) |    | 2.3    |  |  |
| T. SPEED      |    | 20     |  |  |


FIBER OPTICS


VALUATION  
TOWN

V3010/V0001  
ROCKWELL JCT.

WALBRIDGE

FACILITY



[illegible]

|              |       |        |       |
|--------------|-------|--------|-------|
| GRINDING     |       | 88     |       |
| SURFACING    |       | 89     | 87    |
| TIES         |       | 89     | 79    |
| UNDERCUTTING |       |        |       |
| RAIL CLEAN   | 27F12 | 105F12 | 27F12 |
| TONNAGE(MGT) |       | 1.8    |       |
| TY SPEED     |       | 15     |       |


007

FIBER OPTICS

VALUATION  
TOWN

V4100

FACILITY



007



|               |  |  |       |     |       |
|---------------|--|--|-------|-----|-------|
| GRINDING      |  |  |       |     |       |
| SURFACING     |  |  | 70    | 73J | 87    |
| TIES          |  |  |       |     | 87    |
| UNDERCUTTING  |  |  |       |     |       |
| RAIL          |  |  | 30-44 |     | 30-42 |
| RAIL CLEAN    |  |  |       |     |       |
| TONNAGE (MGT) |  |  | 1.0   |     |       |
| T SPEED       |  |  | 25    |     |       |

007

FIBER OPTICS

VALUATION  
TOWN

V7321

ASH

FACILITY


DEG OF CURVE


HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE





|               |    |       |     |    |       |
|---------------|----|-------|-----|----|-------|
| GRINDING      |    |       |     |    |       |
| SURFACING     | 89 | 88    |     | 80 | 88    |
| TIES          |    |       |     |    |       |
| UNDERCUTTING  |    |       |     |    |       |
| RAIL          |    | 30-44 |     |    | 31-45 |
| BAL. CLEAN    |    |       |     |    |       |
| TONNAGE (MGY) |    |       | 1.0 |    |       |
| T. SPEED      |    |       | 10  |    |       |

007

FIBER OPTICS

VALUATION  
TOWN

V7321 V7322

LINCOLN PARK

ECORSE

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE



|              |     |       |    |
|--------------|-----|-------|----|
| GRINDING     |     | 91    |    |
| SURFACING    |     | 87C   |    |
| TIES         | 711 |       | 78 |
| UNDERCUTTING |     |       |    |
| RAIL         |     | 31F78 |    |
| BAL. CLEAN   |     | 781   |    |
| TONNAGE(MGT) |     | 8.0   |    |
| T T SPEED    | 15  |       | 30 |

002

|              |    |       |    |       |     |
|--------------|----|-------|----|-------|-----|
| GRINDING     |    | 91    |    | 1001  | 007 |
| SURFACING    |    | 85    |    |       | 85  |
| TIES         |    | 84    |    |       | 84  |
| UNDERCUTTING |    |       |    |       |     |
| RAIL         |    | 31F85 |    | 27F85 |     |
| BAL. CLEAN   |    | 84    |    |       | 84  |
| TONNAGE(MGT) |    | 5.8   |    |       | 7.4 |
| T T SPEED    | 15 |       | 30 |       | 30  |

007

FIBER OPTICS

VALUATION  
TOWN


WEST DETROIT

V4031

CONANT


NORTH DETROIT


FACILITY



007

V4031 | V4032

**WARREN**

[illegible]

|              |       |       |
|--------------|-------|-------|
| GRINDING     | 007   | 001   |
| SURFACING    | 781   | 781   |
| TIES         | 77    | 77    |
| UNDERCUTTING |       |       |
| RAIL         | 31F78 | 31F78 |
| BAL. CLEAN   |       |       |
| TONNAGE(MGT) | 0.1   | 0.1   |
| T SPEED      | 10    | 10    |

001


|              |    |
|--------------|----|
| GRINDING     |    |
| SURFACING    |    |
| TIES         |    |
| UNDERCUTTING |    |
| RAIL         |    |
| BAL. CLEAN   |    |
| TONNAGE(MGT) |    |
| T SPEED      | 10 |

002

FIBER OPTICS

VALUATION  
TOWNV4060  
PALMER YARD

FACILITY

001  
002

BELT EXT


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE



|              |    |
|--------------|----|
| GRINDING     |    |
| SURFACING    |    |
| TIES         |    |
| UNDERCUTTING |    |
| RATE         | /  |
| BAL. CLEAN   |    |
| TONNAGE(MGT) |    |
| T SPEED      | 10 |


007

FIBER OPTICS

VALUATION  
TOWN

V4060  
**DETROIT**

FACILITY



DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE



|               |       |     |
|---------------|-------|-----|
| GRINDING      |       |     |
| SURFACING     | 78P   |     |
| TIES          |       |     |
| UNDERCUTTING  | 51F78 | 001 |
| RAIL          |       |     |
| BAL. CLEAN    |       |     |
| TONNAGE (MGT) | 0.1   |     |
| T SPEED       | 10    |     |

|               |     |     |
|---------------|-----|-----|
| GRINDING      |     |     |
| SURFACING     |     |     |
| TIES          |     |     |
| UNDERCUTTING  |     | 002 |
| RAIL          |     |     |
| BAL. CLEAN    |     |     |
| TONNAGE (MGT) | 0.1 |     |
| T SPEED       | 10  |     |


FIBER OPTICS

VALUATION  
TOWN

V4060

DETROIT

FACILITY



DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE

|              |     |
|--------------|-----|
| GRINDING     |     |
| SURFACING    |     |
| TIES         |     |
| UNDERCUTTING |     |
| RAIL         | 00  |
| BAL. CLEAN   |     |
| TONNAGE (MG) | 0.1 |
| T T SPEED    | 10  |

007

FIBER OPTICS

VALUATION  
TOWN


V4081  
**DETROIT**

FACILITY

4224

.53  
.35  
.15

.8 .0




EXPO SPUR

JEFFERSON  
COPLAND

DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION



000 0 00 0 0

VERT. ALIGNMENT

GRADE

00

170

MI

2.90

-MP

MP

.00

REV. 01/01/92

50-5251 EXPOSITION SPUR I.T.

|               |      |
|---------------|------|
| GRINDING      |      |
| SURFACING     |      |
| TIES          |      |
| UNDERCUTTING  |      |
| RAIL          | 1.00 |
| BAIT CLEAN    |      |
| TONNAGE (WGT) | 0.1  |
| SPEED         | 10   |

007

FIBER OPTICS

V4081

DETROIT

VALUATION  
TOWN

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE



|               |     |
|---------------|-----|
| GRINDING      |     |
| SURFACING     |     |
| TIES          |     |
| UNDERCUTTING  |     |
| RAIL          | 00  |
| BAL. CLEAN    |     |
| TONNAGE (MGT) | 0.1 |
| T Y SPEED     | 10  |


007

FIBER OPTICS

VALUATION  
TOWN

V7324  
DETROIT

FACILITY



|              |          |
|--------------|----------|
| GRINDING     |          |
| SURFACING    |          |
| TIES         | 74 90 90 |
| UNDERCUTTING |          |
| RAIL         | 31F78    |
| BAL. CLEAN   | 78L      |
| TONNAGE (MG) | 1.0      |
| TY SPEED     | 10       |

007


FIBER OPTICS

V4081


DETROIT

VALUATION  
TOWN

FACILITY



007

007

|              |     |     |
|--------------|-----|-----|
| GRINDING     |     |     |
| SURFACING    | 79T | 77P |
| TIES         | 79  |     |
| UNDERCUTTING |     |     |
| RAIL         |     |     |
| RAIL CLEAN   |     |     |
| TONNAGE (MT) | 0.1 |     |
| TY SPEED     | 10  |     |

007

FIBER OPTICS

VALUATION  
TOWN

V2330

MONROE

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE



007


|               |       |
|---------------|-------|
| GRINDING      |       |
| SURFACING     | 73E   |
| TIES          | 73    |
| UNDERCUTTING  | 27.57 |
| RAIL CLEAN    | 68S   |
| TONNAGE (MGT) | 0.1   |
| T SPEED       | 10    |

007

FIBER OPTICS


VALUATION  
TOWN

V2390



FACILITY

97.15  
96.97  
UG 0.73  
OH 0.95  
97.4 98.5  
NORTHERN I T




007

DEG OF CURVE


HORIZ. ALIGNMENT

SUPER ELEVATION




VERT. ALIGNMENT

GRADE





007

[illegible]


007

**FIBER OPTICS**

VALUATION  
TOWN

V4121 | V4122  
RIVES

LESLIE




50-5337 LANSING SEC

REV. 01/01/92

MP 10.00 -MP 20.00 MI

177

007



[illegible]


007

|              |                      |
|--------------|----------------------|
| FIBER OPTICS | //////////////////// |
|--------------|----------------------|

VALUATION  
TOWN

V4160

**BOWEN**



007

|               |  |       |       |
|---------------|--|-------|-------|
| GRINDING      |  |       |       |
| SURFACING     |  | 62M-P |       |
| TIES          |  | 89    |       |
| UNDERCUTTING  |  |       |       |
| RAIL          |  | 00-12 | 00-27 |
| BAL. CLEAN    |  |       |       |
| TONNAGE (MGT) |  | 0.2   |       |
| T. SPEED      |  | 10    |       |

007

FIBER OPTICS

VALUATION  
TOWN

V7265

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE




|              |       |
|--------------|-------|
| GRINDING     | 88    |
| SURFACING    | 87    |
| TIES         | 87    |
| UNDERCUTTING | 27F87 |
| RAIL CLEAN   | 10.3  |
| TONNAGE(MGT) | 10.3  |
| T SPEED      | 10    |

007

FIBER OPTICS

VALUATION V2450  
TOWN GIBSON

FACILITY



DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE

|               |     |
|---------------|-----|
| GRINDING      |     |
| SURFACING     |     |
| TIES          |     |
| UNDERCUTTING  |     |
| RAIL          |     |
| BAL. CLEAN    |     |
| TONNAGE (MGY) | 0.1 |
| T. SPEED      | 15  |


007

FIBER OPTICS

VALUATION  
TOWN

V2460  
**GRAND RAPIDS**

FACILITY




007

DEG OF CURVE  
HORIZ. ALIGNMENT  
SUPER ELEVATION  
  
VERT. ALIGNMENT  
GRADE



|               |       |     |     |
|---------------|-------|-----|-----|
| GRINDING      | 88    | 007 | 007 |
| SURFACING     | 87C   |     |     |
| YES           | 87    |     |     |
| UNDERCUTTING  | 27F87 |     |     |
| RAIL          |       |     |     |
| BAL. CLEAN    |       |     |     |
| TONNAGE (MGT) | 0.1   |     | 0.2 |
| T T SPEED     | 15    |     | 15  |

007



|              |     |
|--------------|-----|
| GRINDING     | 007 |
| SURFACING    | 73  |
| TIES         | 48  |
| UNDERCUTTING |     |
| RAIL         |     |
| BAL. CLEAN   |     |
| TONNAGE (MG) | 0.1 |
| Y SPEED      | 10  |

|       |       |  |
|-------|-------|--|
| 007   |       |  |
|       | 88    |  |
|       | 88    |  |
| 05--- | 00--- |  |
|       | 0.1   |  |
|       | 10    |  |

007

FIBER OPTICS


VALUATION  
TOWN

KALAMAZOO

V4290

PARCHMENT

FACILITY



|               |             |
|---------------|-------------|
| GRINDING      |             |
| SURFACING     | 82          |
| TIES          | 82          |
| UNDERCUTTING  |             |
| RAIL          | 80-18 80-19 |
| BAL CLEAN     |             |
| TONNAGE (MGT) | 0.5         |
| T SPEED       | 10          |


007

FIBER OPTICS

VALUATION  
TOWN

V5520

FACILITY



007

JACKSON SPUR


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE



|               |     |
|---------------|-----|
| GRINDING      |     |
| SURFACING     |     |
| TIES          |     |
| UNDERCUTTING  |     |
| RAIL CLEAN    |     |
| TONNAGE (MGT) | 1.0 |
| Y SPEED       | 10  |


007

FIBER OPTICS

VALUATION  
TOWN

V2410 | V7222  
**ALBION**

FACILITY




|              |     |
|--------------|-----|
| GRINDING     |     |
| SURFACING    |     |
| TIES         | 86  |
| UNDERCUTTING |     |
| RAIL         |     |
| BAL. CLEAN   |     |
| TONNAGE(MGT) | 1.0 |
| T SPEED      | 10  |

007

FIBER OPTICS

VALUATION  
TOWNV2410  
CEDAR RIVER

FACILITY



007

DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

0

VERT. ALIGNMENT

GRADE

|               |     |
|---------------|-----|
| GRINDING      |     |
| SURFACING     |     |
| TIES          |     |
| UNDERCUTTING  |     |
| RAIL          |     |
| RAIL CLEAN    |     |
| TONNAGE (MGT) | 1.0 |
| T T SPEED     | 10  |


007

FIBER OPTICS

VALUATION  
TOWN

V2410  
**NORTH LANSING**

FACILITY



007

LANSING MFGS


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE



|               |    |       |
|---------------|----|-------|
| GRINDING      |    |       |
| SURFACING     | 82 | 88    |
| YES           |    | 88    |
| UNDERCUTTING  |    |       |
| RAIL          |    | 05F35 |
| BAL. CLEAN    |    |       |
| TONNAGE (MGT) |    | 0.3   |
| Y SPEED       |    | 15    |

007

VALUATION  
TOWN

V4140

LANSING

FACILITY


DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE



007

|              |       |       |
|--------------|-------|-------|
| GRINDING     | 70(1) | 72(1) |
| SURFACING    | 73    | 56    |
| TIES         | 67    | 69    |
| UNDERCUTTING |       |       |
| RAIL         | 12-43 | 12-42 |
| BAL. CLEAN   | 71S   | 72S   |
| TONNAGE(MGT) | 0.1   |       |
| T T SPEED    | 10    |       |


007

FIBER OPTICS

VALUATION  
TOWN

V8401

FACILITY



007

DEG OF CURVE

HORIZ. ALIGNMENT

SUPER ELEVATION

VERT. ALIGNMENT

GRADE

THIRTEENTH S  
TENTH ST  
LINE ST.  
WINCHESTER S

0°50'

0

16.31 .20



|              |    |
|--------------|----|
| GRINDING     |    |
| SURFACING    |    |
| TIES         |    |
| UNDERCUTTING |    |
| RAIL         |    |
| RAIL CLEAN   |    |
| TONNAGE(MGT) |    |
| TY SPEED     | 10 |

007

FIBER OPTICS

VALUATION V7325  
TOWN

2121

10

FACILITY

10.3

007

HIGHLD PK IT

DEG OF CURVE

3° 30'

HORIZ. ALIGNMENT

3° 0'

SUPER ELEVATION

0 0

VERT. ALIGNMENT


0 0

GRADE

.04

|               |     |     |       |     |
|---------------|-----|-----|-------|-----|
| GRINDING      |     | 007 | 007   | 007 |
| SURFACING     | 87  |     | 86    |     |
| TIES          | 87  |     | 91    |     |
| UNDERCUTTING  |     |     |       |     |
| RAIL          | 00  |     | 27F91 |     |
| RAIL CLEAN    |     |     |       |     |
| TONNAGE (MGT) | 0.1 |     | 0.1   |     |
| TY SPEED      | 10  |     | 10    |     |

|     |       |    |      |     |
|-----|-------|----|------|-----|
| 007 |       |    |      |     |
|     | 91    | 86 | 82ST |     |
| 100 | 27F91 |    | 00   | 007 |
|     |       |    |      |     |
|     | 0.1   |    | 10   |     |



|              |      |
|--------------|------|
| GRINDING     |      |
| SURFACING    | 86   |
| TIES         | 8051 |
| UNDERCUTTING |      |
| RAIL CLEAN   | 00   |
| TONNAGE(MGT) | 0.1  |
| T SPEED      | 10   |


007

FIBER OPTICS

VALUATION  
TOWN

V8298

FACILITY



.00

0

.9  
CHRYSLER

0

JEFFERSON

DEG OF CURVE

0° 45' 1° 0' 2° 0' 2° 15'


HORIZ. ALIGNMENT



SUPER ELEVATION

0 0 0 0

VERT. ALIGNMENT



GRADE

24.46 49.28

007

|               |     |
|---------------|-----|
| GRINDING      |     |
| SURFACING     | 87  |
| TIES          | 87  |
| UNDERCUTTING  |     |
| RAIL          | 00  |
| BAL. CLEAN    |     |
| TONNAGE (MGY) | 0.1 |
| TY SPEED      | 0   |


007

FIBER OPTICS

VALUATION  
TOWN

DETROIT V8620

FACILITY



007

|              |        |
|--------------|--------|
| GRINDING     |        |
| SURFACING    | 58.7   |
| TIES         |        |
| UNDERCUTTING |        |
| RAIL         | 90-27F |
| RAIL CLEAN   |        |
| TONNAGE(MGT) | 0.1    |
| TY SPEED     | 10     |

007

FIBER OPTICS

VALUATION  
TOWN

V5510  
**BRYAN**

FACILITY

